#### CITY OF ATLANTA ADVERTISEMENT FOR BIDS

Sealed bids for Bid No. 8128-AP, VARIOUS LANDSCAPE MOWERS, will be received by designated staff of the Department of Procurement, at 55 Trinity Avenue, City Hall South, Suite 1900, Atlanta, GA 30303-0307, and must be time stamped no later than 2:00 P.M., Tuesday, April 21, 2015.

#### ABSOLUTELY NO BIDS WILL BE ACCEPTED AFTER 2:00 P.M.

Bids will be publicly opened and read at 2:00 P.M. in Suite 1900, 1<sup>st</sup> Floor, 55 Trinity Avenue, SW, City Hall South, Atlanta, Georgia.

**PURPOSE AND SCOPE**: To establish an indefinite quantity, firm fixed price contract to be used as the primary source for the commodity (ies)/services(s) listed in the attached specifications. Commodities/services will be ordered from time to time in such quantity as may be needed to fill any requirements of the City of Atlanta as shown in the bid invitation. As it is impossible to determine the precise quantities that may be needed during the contract period, the contractor is obligated to deliver in minimum/maximum quantities the commodities or services of the kind contracted for in accordance with the specific conditions of this bid.

General instructions, specifications for submitting bid packages for this project will be available as of **Friday**, **April 03**, **2015 from 8:15 A.M.** – **5:00 P.M.**, in the Department of Procurement's Main Office, 1<sup>st</sup> Floor, 55 Trinity Avenue, SW, Suite 1900, City Hall South, Atlanta, Georgia. To request a bid package by mail, please contact the buyer.

Should you have any question/concerns, please contact Annette Pellum, at (404) 330-6273, or by email apellum@atlantaga.gov.

The City of Atlanta reserves the right to reject any and all bids and to waive any technicalities.

This Bid is being made available by electronic means. If accepted by such means, the Proponent acknowledges and accepts full responsibility to insure that no changes are made to the Bid. In the event of conflict between a version of the Bid in the Proponent's possession and the version maintained by DOP, the version maintained by DOP shall govern.

You are required to email your business name, contact person, address, phone number, fax number and the project number to Ms. Annette Pellum, Buyer at apellum@atlantaga.gov, to be placed on the Plan Holders List. Failure to do so will prevent you from receiving any addenda that are issued and may deem you non-responsive.

#### INVITATION FOR BID

BID NUMBER: 8128-AP RTG DATE: Thursday, April 02, 2015 OFFICE OF FLEET SERVICES

#### **SEALED BIDS FOR:**

CITY OF ATLANTA (COA) SPECIFICATION FOR VARIOUS LANDSCAPE MOWERS FOR THE CITY OF ATLANTA TO BE ORDERED AS NEEDED FOR A PERIOD OF THREE (3) YEARS FROM DATE OF AWARD IN ACCORDANCE WITH THE ATTACHED SPECIFICATION.

Sealed bids, for furnishing the supplies or services contained herein will be received by:

# CITY OF ATLANTA DEPARTMENT OF PROCUREMENT CITY HALL SOUTH, SUITE 1900 55 TRINITY AVENUE, S.W. ATLANTA, GEORGIA 30303-0307

First floor, no later than 2:00 P.M., (OUR BID CLOCK TIME IS VERIFIED AND CALIBRATED WITH THE BUREAU OF NATIONAL STANDARDS TIME PRIOR TO EACH BID OPENING) Tuesday, April 21, 2015 and at that time will be publicly opened and read in Suite 1900.

A Pre-Bid Conference/Site Visit – N/A. The deadline for bidders to submit questions regarding the bid is Wednesday, April 08, 2015. Questions should be submitted via email to Annette Pellum, Buyer at apellum@atlantaga.gov. For information, call (404) 330-6273.

This form MUST be returned with all bids. Bids must be typed or printed in blue ink. Refer to Bid Number, Date and Time on the enclosed return label. All bids must be hand delivered, delivered by courier service or mailed via United States Postal Service. No facsimile will be accepted. One (1) original ITB in blue ink must be submitted and must be marked as an original as well as one (1) ITB copy which must be marked as copy. If you quote, please sign each "bid sheet" in blue ink, do not 'white out' entries or your bid may be deemed non-responsive. And, put the name of your company on each of the bid sheets or your bid may be deemed non-responsive. If you do not quote, return signed bid invitation sheet and state reason; otherwise, your name may be removed from our mailing list. Failure to follow these instructions could result in your bid being rejected.

ALL COMMUNICATION PERTAINING TO THIS BID MUST BE DIRECTED TO THE DEPARTMENT OF PROCUREMENT REFERENCING BID NUMBER. BIDDER MAY NOT CONTACT OTHER BUREAUS OR CITY EMPLOYEES REGARDING THIS BID PRIOR TO AWARD OF PURCHASE ORDER. VIOLATION OF THIS INSTRUCTION WILL RESULT IN NON-ACCEPTANCE OF YOUR BID.

	Legal Name of Firm		Authorized Representative/Please Type/Print		
	Address		Signature/Title		
City	State	Zip Code	Area Code/Telephone Number/Email Address		
	Date Submitted		COA Supplier ID#		

UNLESS YOU POSSESS A CURRENT BUSINESS LICENSE THAT AUTHORIZES BIDDER TO TRANSACT BUSINESS AT A LOCATION IN THE STATE OF GEORGIA. IN THE CASE OF AN OUT OF STATE BUSINESS WITH NO LOCATION OR OFFICE IN GEORGIA, WHICH EXERTS SUBSTANTIAL EFFORTS WITHIN THE STATE AND CITY, SUCH BUSINESS MUST OBTAIN A CITY OF ATLANTA, BUSINESS LICENSE AS REQUIRED BY CITY CODE SECTION 30-52, ET SEQ. TO OBTAIN A BUSINESS LICENSE, CONTACT: CITY OF ATLANTA, BUSINESS LICENSE DIVISION, CITY HALL SOUTH, SUITE 1350, 55 TRINITY AVENUE, S.W., ATLANTA, GEORGIA 30303-0307, and (404) 330-6213.

In compliance with the aforementioned, the bidder agrees to furnish and deliver the goods and/or services at the prices indicated. It is agreed that this bid shall constitute an offer, and if accepted by the City, delivered to the designated point(s) within the time specified.

#### PRICES CONSIDERED F.O.B. DESTINATION UNLESS OTHERWISE STATED.

#### MERCHANDISE/SERVICE TO BE DELIVERED: AS DIRECTED

**NOTE:** Read all instruction, conditions, specifications, etc., in detail. Acceptance of your quotation guarantees your price and it cannot be withdrawn. Check all figures before submitting bid. UPON REQUEST, A COPY OF THE BID TABULATION WILL BE MADE AVAILABLE TO YOU AT A COST OF \$.10 PER PAGE.

#### All Bids are subject to the following:

- 1. Compliance with City of Atlanta Code, Section 2-1413, Requirements for execution of City contracts and Section 2-1414, Equal Employment Opportunity clause. In conjunction with these Code sections, a completed Contract Employment Report or a current letter of certification from the City of Atlanta Office of Contract Compliance must accompany each bid.
- 2. Compliance with bidding instructions, terms, and conditions (pages 3 and 4).
- 3. Other provisions, certifications, Insurance, Payment and/or Performance Bonds, if incorporated by reference in this schedule.
- 4. Additional instructions, special conditions applicable to indefinite quantity invitations on Annual Contracts.
- 5. A completed W-9 Request for taxpayer identification number and Certification Form.
- 6. A Notarized E-Verify Contractor Affidavit and/or Subcontractor Affidavit, even if not applicable.
- 7. Enter your City of Atlanta Supplier ID number on page one (1) of the ITB. A Supplier number can be obtained by registering at <a href="www.atlantaga.gov">www.atlantaga.gov</a>.

FIRM NAME	SIGNATURE	

#### CITY OF ATLANTA

#### DEPARTMENT OF PROCUREMENT

#### BIDDING INSTRUCTIONS, TERMS AND CONDITIONS

#### 1. PREPARATION OF BIDS -

- (a) Bidders are expected to examine this invitation for bid, attached drawings, specifications, if any, and all instructions. Failure to do so will be at the bidder's risk.
- (b) Unit price for each unit bid on shall be shown and such price shall include packing, unless otherwise specified. A total shall be entered in the amount column for each item bid on. In case of a discrepancy between a unit price and extended price, the unit price will be presumed to be correct.
- (c) Specifications provided herein are intended to be open and non-restrictive. "Any" is used as a minimum standard of quality. When no reference or change is made on proposal by bidder, it is understood that the specific brand item named on proposal shall be furnished by bidder. If bidding on other than the make, model, brand or number as shown, and offered as an equal, complete technical information, specifications, manufacturer's name and catalog reference must be clearly stated on bid proposal or attached letter. Any deviation between brand offered and brand specified must also be clearly indicated.

The City of Atlanta, through the Chief Procurement Officer, Department of Procurement, shall be the sole judge in making determination as to equality.

- (d) Time of delivery is a part of the consideration and must be stated in specific calendar days that must be adhered to. If the time varies on different items, the bidder shall so state. Failure to state delivery may be cause for disqualification.
- (e) The City may accept any item or group of items or any bid, unless the bidder qualifies his bid by specific limitations. The right is reserved to reject any or all quotations and to waive technicalities.
- (f) Verify your quotations before submission, as they cannot be withdrawn or corrected after being opened.
- (g) If a prospective offer or elects to submit a NO BID, return the Invitation for Bid Cover sheet and state reason. Otherwise, the bidder may be removed from the mailing list.
- (h) If federal excise tax applies, show amount of same that has already been deducted in determining your net price. The City is also exempt from state and local sales tax.

Revised: 12/5/2013

2. **EXPLANATIONS TO BIDDERS** - Any explanation desired by a bidder regarding the meaning or interpretation of the invitation for bid, drawings, specifications, etc., must be requested in writing and with sufficient time allowed for a reply to reach bidders before the submission of their bids. Any information given to a prospective bidder concerning an Invitation for Bids will be furnished to all prospective bidders, as an amendment to the invitation, if such information is necessary to bidders in submitting bids on the Invitation or if the lack of such information would be prejudicial to uninformed bidders. Receipt of amendments by a bidder must be acknowledged on the bid and a signed addendum returned, attached to the bid.

#### 3. SUBMISSION OF BIDS -

- (a) <u>DEFAULT</u>: The award as a result of bids received under this invitation may be based in part on delivery factor. Accordingly, should a vendor fail to perform delivery within the time stated in your bid, he/she may then be declared in default of contract. In such an event, the City may then proceed to purchase in the open market the items from another source, and charge/collect from the defaulting vendor the excess cost to the City, which resulted from such open market purchase.
- (b) <u>PATENT INDEMNITY</u>: Except as otherwise provided, the successful bidder agrees to indemnify the City and its officers, agents and employees against liability, including cost and expenses for infringement upon any letters patent of the United States arising out of the performance of this contract, or out of the use or disposal by or for the account of the City of supplies furnished or construction work performed hereunder.
- 4. CERTIFICATION OF INDEPENDENT PRICE DETERMINATION By submission of this bid, the bidder certifies, and in the case of joint bid each party thereto certifies as to its own organization, that in connection with this procurement: (1) The prices in this bid have been arrived at independently, without consultation, communication, or agreement, for the purpose of restricting competition, as to any matter relating to such prices with any other bidder or with any competitor; (2) Unless otherwise required by law, the prices which have been quoted in this bid have not been knowingly disclosed by the bidder and will not knowingly be disclosed by the bidder prior to opening, directly or indirectly to any other bidder or to any competitor; and (3) No attempt has been made or will be made by the bidder to induce any other person or firm to submit or not to submit a bid for the purpose of restricting competition.
- 5. **PROHIBITION AGAINST AND REPORTING OF ANTICOMPETITIVE PRACTICES** Collusion and other anticompetitive practices among bidders and offer are prohibited by city, state and federal laws, and the City, therefore, establishes the following:

<u>Certification of independent price determination</u>. All bidders or offer shall identify a person having authority to sign for the bidder or offer who shall certify, in writing, as follows:

"I certify that this bid or offer is made without prior understanding, agreement, or connection with any corporation, firm, or person submitting a bid or offer for the same supplies, services, construction, or professional or consultant services, and is in all respects fair and without collusion or fraud. I understand collusive bidding is a violation of city, state and federal law and can result in fines, prison sentences, and civil damages awards. I agree to abide by all conditions of this bid or offer and certify that I am authorized to sign for this bidder or offer or." Compliance with this subsection shall be considered met if the certification of independent price determination, as provided in this subsection, is set forth in an exhibit attached to the bid or offer and appropriate language incorporating the exhibit into the bid or offer is set forth therein.

6. PROHIBITION AGAINST CONFLICTS OF INTEREST – Please identify any Personal or Financial Relationships that may give rise to a conflict of interest as defined below: (1) Personal relationships: executives, board members and partners in firms submitting offers must disclose familial relationships with employees, officers and elected officials of the City of Atlanta. Familial relationships shall include spouse, domestic partner registered under section 94-133, mother, father, sister, brother, and natural or adopted children of an official or employee. (2) Financial relationships: offerors must disclose any interest held with a City employee or official, or family members of a City employee or official, which may yield, directly or indirectly, a monetary or other material benefit to the offeror or the offeror's family members. inger op de state fan de skriver fan Yes \_\_\_\_\_ No Please describe:

- 7. AWARD OF CONTRACT The contract, if awarded, will be awarded to the responsible bidder whose bid will be most advantageous to the City, price and other factors considered. The contract will be awarded for a term of three (3) year(s) with the option to extend under the same terms and conditions for two (2), one (1) year extensions.
- 8. Failure to observe any of the instructions and conditions may constitute grounds for rejection of your bid.

Revised: 12/5/2013

# 9. SECTION 2-1387, CERTIFICATION AS TO NON-DISCRIMINATION IN BIDS AND CONTRACTS.

(a) All persons, firms or corporations supplying goods, material, equipment, supplies, improvements to real property, or services of any kind or character to the City of Atlanta, in accordance with section 2-1109, shall certify in writing on all bids and contracts, except those involving federally assisted construction projects, the following words:

"We, the supplier of goods, materials, equipment or services covered by this bid or contract will not discriminate in any way in connection with this contract in the employment of persons, or refuse to continue the employment of any person, on account of race, creed, color, sex or national origin of such person."

- (b) The wording of subsection (a) herein shall be included as a specification and appear on all bid invitations and purchase orders or contracts prepared as issued by any and all using agencies of the City.
- (c) The federal guidelines, as related to non-discrimination in employment by government contracts and subcontractors promulgated by Executive Order No.11246 of September 24,1965, as amended with respect to sex by Executive Order No. 11375 of October 13, 1967, Sections 202, 203 and 204 of Part II of such orders, are hereby adopted by the City of Atlanta insofar as legally possible to do so, and those persons, firms or corporations set forth in subparagraph (a) above shall comply with same.
- (d) The City shall have the right to reject any or all bids, and shall not enter into any contract with any person, firm or corporation and shall refuse to purchase any or all goods, materials, equipment or services from any vendor or contractor who fails to comply with the provisions of subsection (a) and/or (c) herein.
- 10. **REJECTION OF BID** Bids may be considered irregular and may be rejected if they show omissions, alterations of form, additions not called for, conditions, limitations, unauthorized alternate bids or other irregularities of any kind. The City reserves the right to waive minor informalities or irregularities of bid.

The City reserves the right to accept or reject any and all bids submitted and is in no way obligated to any bidder who submits a bid for the supplies, service or items as set forth in these specifications.

Allering to see

# Special Conditions Annual Contract for Commodities/Services

#### 1. PURPOSE AND SCOPE:

To establish an indefinite quantity, firm fixed price contract to be used as the primary source for the commodity(ies)/service(s) listed in the attached specifications. Commodities/services will be ordered from time to time as such quantity as may be needed to fill any requirements of the City of Atlanta as shown in the bid invitation. As it is impossible to determine the precise quantities that may be needed during the contract period, the contractor is obligated to deliver in minimum/maximum quantities the commodities or services of the kind contrated for in accordance with the specific conditions of this bid.

#### 2. SUPPLY REQUIREMENTS:

The contractor shall be able to delivery all items that might be requested during the contract period in accordance with the terms and conditions of this bid. In the event a contractor's source should fail to supply any item, at any time, for any reason during the contract term, it will be contractor's responsibility to temporarily supply another item of equivalent quality meeting all specifications of the contract, at contract prices, terms and conditions, as an emergency measure, subject to prior approval of the Chief Procurement Officer, whose decision shall be final. If requested, sufficient and reasonable time may be allowed the contractor to acquire adequate stock to perform on the contract after award is made.

#### 3. DELIVERY REQUIREMENTS:

Delivery will be made within the time shown in the specific bid conditions or where called for in the invitation, the time stated by the bidder.

#### 4. PLACEMENT OF ORDERS:

Orders will be placed using one of the following methods:

- a. Purchase orders will be issued as required for departments having a known requirement, fixed quantities, and one-time delivery, during the entire life of the contract.
- b. A blanket order will be issued to those bureaus that have a recurring need for item(s) covered by this Invitation for Bid and will be issued for "as needed" use. Each blanket order issued will state what is needed, as well as a "not-to-exceed" dollar amount. The bureau will be allowed to purchase only those items listed in the awarded contract. Authorization to supply item(s)/services covered by this blanket order may be verbal or written communication from the using department(s).

#### 5. URGENT REQUIREMENTS:

In the case of a bona fide emergency, wherein immediate delivery of an order is needed and the successful vendor cannot meet such a requirement, the City reserves the right to order from any vendor that can meet such a delivery requirement without penalty to the City.

#### 6. RIGHT TO TERMINATE:

In the event any of the provisions of the contract are violated, the City may serve written notice of its intention to terminate the contract. Such notice will state the reasons for such intention, and unless within ten (10) days after serving notice upon the contractor, such violation has ceased and satisfactory arrangements for correction made, the contract shall, upon expiration of ten (10) days, be terminated. Further, the City reserves the right to terminate any contract in whole or in part upon giving thirty (30) days prior written notice to the other party.

#### 7. PLEASE COMPLETE THE FOLLOWING:

Should a contract result from this invitation:

TO PLACE VERBAL (	ORDERS CO	NTRACT:	, mm s	on to display institutes	a 12 11 12 Properties and the second
		***		Name	
		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
		dina te da		ephone Number	
CUSTOMER REPRES		11 NATES 1860 X X		<u> </u>	<u>and a second control of the second control </u>
	Server Commences (2000)			"Name of lite	CONTRACTOR CONTRACTOR
d ex	tage of any	. Sektire⊒indi	Tele	ephone Number	
BID SIGNER:				·	<u>era kanana ka</u>
		talan da santa da sa Tanàna da santa da s	Name		e e o tradago en trajago en trajago. A como escapación de la defenda en como en el decembro en e
		and the second			<u>n e v</u> ue di un cheen descriptiones de la re-
		<u> </u>	Address		out out of the post <del>o</del> f the post of the second of the sec
.≑		white the same	Telephone		MINAMANA
PERIOD OF THE CONTRACT?	w.	(1	4O)	(YES)	
DELIVERS WILL BE MADE AC	SAINST THIS				
VENDOR OWNED EQUIPMEN' (If yes, the frequency)		) 	4O)	(YES)	<u> </u>
COMMERICAL CARRIER: OTHER (Specify)		(1	VO)	(YES)	
<del>-</del>			99		
Bidder hereby agrees to special co					
	Firm Name:				en en en 1000 en 1860 en 1860 en
	Ву:	erren en e		·	·
	Title:	·		-	

THIS SHEET MUST BE COMPLETED. FAILURE TO DO SO MAY BE REASON FOR REJECTION OF BID.

BID NUMBER: <u>8128-AP</u>

----

#### CITY OF ATLANTA

#### Contract Employment Report

# PLEASE TYPE OR PRINT IN INK. EACH APPLICABLE ITEM ON THIS FORM MUST BE COMPLETED. <u>INCOMPLETE FORMS WILL NOT BE PROCESSED.</u>

NAME OF FIRM:							TELEPHONE No		20.000 100 100 100 100 100 100 100 100 10	· · · · · · · · · · · · · · · · · · ·	
NAME OF OWNER:  MAILING ADDRESS:  STATE:COUNTY:								Ю			
								ODE:			
PLEASE C	OMPLETE	THE FOLI	LOWING I	NFORMAT	ION						
WHAT TYP	PE OF BUSI	NESS WOU	LD YOUR	COMPANY	BE ENGA	GED IN WI	TH THE CI	TY OF ATLA	NTA?		
						1022 11		0- 1112		A.T.	
IS YOUR C	OMPANY A	AN AFFILIA	TE OR DIV	ISION OF A	A PARENT	COMPANY	<i>7</i> ?			<del>-</del> . <del></del>	
				• •					47 (TT) (1.5mm. 1.2mm)		
								MENT REP	ORT FORM	MUST BE	
COMPLETI	ED FOR TH	E PARENT	COMPANY	AS WELL.	AS THE A	TLANTA A	REA DIVIS	ION.			
TIAC WATE	COMMANT	CONTRACTI	OT V DECK	ייו זגג ביינדו	ro ornei		CD (A) # TTTT	CEET OF A	TOTAL AND TOTAL OF STREET	•	
HAS YOUR	COMPAN	Y PKEVIOU	SLY RECE	IVED AN E	EO CERT	IFICATION.	FROM THE	CITY OF A	ILANIA?_		
		PLEASE	LIST THE	NUMBER	OF EMPI	OYEES IN	EACH CA	TEGORY	<u></u>	i e	
				<u>-</u> .							
	Management/ Officials		Professionals Arch, Engineers, etc		Supe	ervisors	Office/Clerical/Sales		Craftsmen/Laborers		
	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	
Black			/						1.11.2		
White											
Asian American											
Native											
American											
Hispanic									7.77 (1.44 - 17.2)		
Other											
TOTAL			-	_							
	I			<u> </u>	l			· · · · · · · · · · · · · · · · · · ·			
									The same of the sa		
I CERTIFY	THAT AL	L REPRES	ENTATION	NS ON THIS	S CONTR	ACT EMPL	OYMENT:	REPORT FO	ORM ARE	CORRECT	
AS OF THI	E DATE ST	ATED.									
						·					
DATE		PRINT P	REPARER	'S NAME		PREPARER	PS SIGNAT	<b>TURE</b>	TITL	E	
				•					** ** 38 y T. IT. 1.	•	

C.E.R. 1 of 1

# Form W-9 (Rev. October 2007) Department of the Treasury Internal Revenue Service

# Request for Taxpayer Identification Number and Certification

Give form to the requester. Do not send to the IRS.

-2.	Na	rne (as shown on your income tax return)	-				
on page	Bu	siness name, if different from above		-2			
Print or type Specific Instructions	Ch	eck appropriate box: Individual/Sole proprietor Limited liability company. Enter the tax classification ( Other (see instructions)	Corporation Pa		partnership) ►	:	Exempt payee
Print ic Inst	Ad	dress (number, street, and apt. or suite no.)			Requester's	name and a	address (optional)
Specif	Cit	y, state, and ZIP code					
See	Lis	t account number(s) here (optional)		÷ :			
Par	tI	Taxpayer Identification Number (7	TIN)			.,	
your <b>Note</b>	emple . If th	proprietor, or disregarded entity, see the Part I is over identification number (EIN). If you do not have account is in more than one name, see the charter.	ive a number, see How to	get a TIN	on page 3.	Employer in	Or dentification number
Par	t II	Certification					
Unde	r pen	alties of perjury, I certify that:	New York				
		ımber shown on this form is my correct taxpaye	•				• •
В	leven	ot subject to backup withholding because: (a) I a ue Service (IRS) that I am subject to backup with d me that I am no longer subject to backup with	hholding as a result of a f				
		U.S. citizen or other U.S. person (defined below					
withh For n arran	oldin nortg: geme	on instructions. You must cross out item 2 abog because you have failed to report all interest a age interest paid, acquisition or abandonment of ent (IRA), and generally, payments other than into our correct TIN. See the instructions on page 4.	and dividends on your tax f secured property, cance	return. Fo	r real estate t lebt, contribut	ransactions ions to an	s, item 2 does not apply. individual retirement
Sigr Her		Signature of U.S. person ▶			Date ►		
Ge	ner	al Instructions					al tax purposes, you are
		eferences are to the Internal Revenue Code u			S. person if yo		110

Section references are to the Internal Revenue Code unless otherwise noted.

#### Purpose of Form

A person who is required to file an information return with the IRS must obtain your correct taxpayer identification number (TIN) to report, for example, income paid to you, real estate transactions, mortgage interest you paid, acquisition or abandonment of secured property, cancellation of debt, or contributions you made to an IRA.

Use Form W-9 only if you are a U.S. person (including a resident alien), to provide your correct TIN to the person requesting it (the requester) and, when applicable, to:

- 1. Certify that the TIN you are giving is correct (or you are waiting for a number to be issued),
  - 2. Certify that you are not subject to backup withholding, or
- 3. Claim exemption from backup withholding if you are a U.S. exempt payee. If applicable, you are also certifying that as a U.S. person, your allocable share of any partnership income from a U.S. trade or business is not subject to the withholding tax on foreign partners' share of effectively connected income.

**Note.** If a requester gives you a form other than Form W-9 to request your TIN, you must use the requester's form if it is substantially similar to this Form W-9.

- An individual who is a U.S. citizen or U.S. resident alien,
- A partnership, corporation, company, or association created or organized in the United States or under the laws of the United States.
- An estate (other than a foreign estate), or
- A domestic trust (as defined in Regulations section 301,7701-7).

Special rules for partnerships. Partnerships that conduct a trade or business in the United States are generally required to pay a withholding tax on any foreign partners' share of income from such business. Further, in certain cases where a Form W-9 has not been received, a partnership is required to presume that a partner is a foreign person, and pay the withholding tax. Therefore, if you are a U.S. person that is a partner in a partnership conducting a trade or business in the United States, provide Form W-9 to the partnership to establish your U.S. status and avoid withholding on your share of partnership income.

The person who gives Form W-9 to the partnership for purposes of establishing its U.S. status and avoiding withholding on its allocable share of net income from the partnership conducting a trade or business in the United States is in the following cases:

The U.S. owner of a disregarded entity and not the entity,

- The U.S. grantor or other owner of a grantor trust and not the trust, and
- The U.S. trust (other than a grantor trust) and not the beneficiaries of the trust.

Foreign person. If you are a foreign person, do not use Form W-9. Instead, use the appropriate Form W-8 (see Publication 515, Withholding of Tax on Nonresident Aliens and Foreign Entities).

Nonresident alien who becomes a resident alien. Generally, only a nonresident alien individual may use the terms of a tax treaty to reduce or eliminate U.S. tax on certain types of income. However, most tax treaties contain a provision known as a "saving clause." Exceptions specified in the saving clause may permit an exemption from tax to continue for certain types of income even after the payee has otherwise become a U.S. resident alien for tax purposes.

If you are a U.S. resident alien who is relying on an exception contained in the saving clause of a tax treaty to claim an exemption from U.S. tax on certain types of income, you must attach a statement to Form W-9 that specifies the following five items:

- 1. The treaty country. Generally, this must be the same treaty under which you claimed exemption from tax as a nonresident alien.
  - 2. The treaty article addressing the income.
- 3. The article number (or location) in the tax treaty thatcontains the saving clause and its exceptions.
- 4. The type and amount of income that qualifies for the exemption from tax.
- 5. Sufficient facts to justify the exemption from tax under the terms of the treaty article.

Example. Article 20 of the U.S.-China income tax treaty allows an exemption from tax for scholarship income received by a Chinese student temporarily present in the United States. Under U.S. law, this student will become a resident alien for tax purposes if his or her stay in the United States exceeds 5 calendar years. However, paragraph 2 of the first Protocol to the U.S.-China treaty (dated April 30, 1984) allows the provisions of Article 20 to continue to apply even after the Chinese student becomes a resident alien of the United States. A Chinese student who qualifies for this exception (under paragraph 2 of the first protocol) and is relying on this exception to claim an exemption from tax on his or her scholarship or fellowship income would attach to Form W-9 a statement that includes the information described above to support that exemption.

If you are a nonresident alien or a foreign entity not subject to backup withholding, give the requester the appropriate completed Form W-8.

What is backup withholding? Persons making certain payments to you must under certain conditions withhold and pay to the IRS 28% of such payments. This is called "backup withholding." Payments that may be subject to backup withholding include interest, tax-exempt interest, dividends, broker and barter exchange transactions, rents, royalties, nonemployee pay, and certain payments from fishing boat operators. Real estate transactions are not subject to backup withholding.

You will not be subject to backup withholding on payments you receive if you give the requester your correct TIN, make the proper certifications, and report all your taxable interest and dividends on your tax return.

# Payments you receive will be subject to backup withholding if:

- 1. You do not furnish your TIN to the requester,
- 2. You do not certify your TIN when required (see the Part II instructions on page 3 for details),
- The IRS tells the requester that you furnished an incorrect TIN,

- 4. The IRS tells you that you are subject to backup withholding because you did not report all your interest and dividends on your tax return (for reportable interest and dividends only), or
- 5. You do not certify to the requester that you are not subject to backup withholding under 4 above (for reportable interest and dividend accounts opened after 1983 only).

Certain payees and payments are exempt from backup withholding. See the instructions below and the separate Instructions for the Requester of Form W-9.

Also see Special rules for partnerships on page 1.

#### **Penalties**

Failure to furnish TIN. If you fail to furnish your correct TIN to a requester, you are subject to a penalty of \$50 for each such failure unless your failure is due to reasonable cause and not to willful neglect.

Civil penalty for false information with respect to withholding. If you make a false statement with no reasonable basis that results in no backup withholding, you are subject to a \$500 penalty.

**Criminal penalty for falsifying information.** Willfully falsifying certifications or affirmations may subject you to criminal penalties including fines and/or imprisonment.

Misuse of TINs. If the requester discloses or uses TINs in violation of federal law, the requester may be subject to civil and criminal penalties.

### Specific Instructions

#### Name

If you are an individual, you must generally enter the name shown on your income tax return. However, if you have changed your last name, for instance, due to marriage without informing the Social Security Administration of the name change, enter your first name, the last name shown on your social security card, and your new last name.

If the account is in joint names, list first, and then circle, the name of the person or entity whose number you entered in Part I of the form.

Sole proprietor. Enter your individual name as shown on your income tax return on the "Name" line. You may enter your business, trade, or "doing business as (DBA)" name on the "Business name" line.

Limited liability company (LLC). Check the "Limited liability company" box only and enter the appropriate code for the tax classification ("D" for disregarded entity, "C" for corporation, "P" for partnership) in the space provided.

For a single-member LLC (including a foreign LLC with a domestic owner) that is disregarded as an entity separate from its owner under Regulations section 301.7701-3, enter the owner's name on the "Name" line. Enter the LLC's name on the "Business name" line.

For an LLC classified as a partnership or a corporation, enter the LLC's name on the "Name" line and any business, trade, or DBA name on the "Business name" line.

Other entities. Enter your business name as shown on required federal tax documents on the "Name" line. This name should match the name shown on the charter or other legal document creating the entity. You may enter any business, trade, or DBA name on the "Business name" line.

**Note.** You are requested to check the appropriate box for your status (individual/sole proprietor, corporation, etc.).

#### **Exempt Pavee**

If you are exempt from backup withholding, enter your name as described above and check the appropriate box for your status, then check the "Exempt payee" box in the line following the business name, sign and date the form.

Generally, individuals (including sole proprietors) are not exempt from backup withholding. Corporations are exempt from backup withholding for certain payments, such as interest and dividends.

**Note.** If you are exempt from backup withholding, you should still complete this form to avoid possible erroneous backup withholding.

The following payees are exempt from backup withholding:

- 1. An organization exempt from tax under section 501(a), any IRA, or a custodial account under section 403(b)(7) if the account satisfies the requirements of section 401(f)(2),
- 2. The United States or any of its agencies or instrumentalities,
- 3. A state, the District of Columbia, a possession of the United States, or any of their political subdivisions or instrumentalities,
- 4. A foreign government or any of its political subdivisions, agencies, or instrumentalities, or
- 5. An international organization or any of its agencies or instrumentalities.

Other payees that may be exempt from backup withholding include:

- 6. A corporation,
- 7. A foreign central bank of issue,
- 8. A dealer in securities or commodities required to register in the United States, the District of Columbia, or a possession of the United States.
- 9. A futures commission merchant registered with the Commodity Futures Trading Commission,
  - 10. A real estate investment trust,
- 11. An entity registered at all times during the tax year under the Investment Company Act of 1940,
- 12. A common trust fund operated by a bank under section 584(a),
  - 13. A financial institution,
- 14. A middleman known in the investment community as a nominee or custodian, or
- 15. A trust exempt from tax under section 664 or described in section 4947.

The chart below shows types of payments that may be exempt from backup withholding. The chart applies to the exempt payees listed above, 1 through 15.

IF the payment is for	THEN the payment is exempt for		
Interest and dividend payments	All exempt payees except for 9		
Broker transactions	Exempt payees 1 through 13. Also, a person registered under the Investment Advisers Act of 1940 who regularly acts as a broker		
Barter exchange transactions and patronage dividends	Exempt payees 1 through 5		
Payments over \$600 required to be reported and direct sales over \$5,000 <sup>1</sup>	Generally, exempt payees 1 through 7		

<sup>&</sup>lt;sup>1</sup>See Form 1099-MISC, Miscellaneous Income, and its instructions.
<sup>2</sup>However, the following payments made to a corporation (including gross proceeds paid to an attorney under section 6045(f), even if the attorney is a corporation) and reportable on Form 1099-MISC are not exempt from backup withholding: medical and health care payments, attorneys' fees, and payments for services paid by a federal executive agency.

# Part I. Taxpayer Identification Number (TIN)

Enter your TIN in the appropriate box. If you are a resident alien and you do not have and are not eligible to get an SSN, your TIN is your IRS individual taxpayer identification number (ITIN). Enter it in the social security number box. If you do not have an ITIN, see *How to get a TIN* below.

If you are a sole proprietor and you have an EIN, you may enter either your SSN or EIN. However, the IRS prefers that you use your SSN.

If you are a single-member LLC that is disregarded as an entity separate from its owner (see *Limited liability company (LLC)* on page 2), enter the owner's SSN (or EIN, if the owner has one). Do not enter the disregarded entity's EIN. If the LLC is classified as a corporation or partnership, enter the entity's EIN.

Note. See the chart on page 4 for further clarification of name and TIN combinations.

How to get a TIN. If you do not have a TIN, apply for one immediately. To apply for an SSN, get Form SS-5, Application for a Social Security Card, from your local Social Security Administration office or get this form online at <a href="https://www.ssa.gov">www.ssa.gov</a>. You may also get this form by calling 1-800-772-1213. Use Form W-7, Application for IRS Individual Taxpayer Identification Number, to apply for an ITIN, or Form SS-4, Application for Employer Identification Number, to apply for an EIN. You can apply for an EIN online by accessing the IRS website at <a href="https://www.irs.gov/businesses">www.irs.gov/businesses</a> and clicking on Employer Identification Number (EIN) under Starting a Business. You can get Forms W-7 and SS-4 from the IRS by visiting <a href="https://www.irs.gov">www.irs.gov</a> or by calling 1-800-TAX-FORM (1-800-829-3676).

If you are asked to complete Form W-9 but do not have a TIN, write "Applied For" in the space for the TIN, sign and date the form, and give it to the requester. For interest and dividend payments, and certain payments made with respect to readily tradable instruments, generally you will have 60 days to get a TIN and give it to the requester before you are subject to backup withholding on payments. The 60-day rule does not apply to other types of payments. You will be subject to backup withholding on all such payments until you provide your TIN to the requester.

**Note.** Entering "Applied For" means that you have already applied for a TIN or that you intend to apply for one soon.

Caution: A disregarded domestic entity that has a foreign owner must use the appropriate Form W-8.

#### Part II. Certification

To establish to the withholding agent that you are a U.S. person, or resident alien, sign Form W-9. You may be requested to sign by the withholding agent even if items 1, 4, and 5 below indicate otherwise.

For a joint account, only the person whose TIN is shown in Part I should sign (when required). Exempt payees, see *Exempt Payee* on page 2.

**Signature requirements.** Complete the certification as indicated in 1 through 5 below.

- 1. Interest, dividend, and barter exchange accounts opened before 1984 and broker accounts considered active during 1983. You must give your correct TIN, but you do not have to sign the certification.
- 2. Interest, dividend, broker, and barter exchange accounts opened after 1983 and broker accounts considered inactive during 1983. You must sign the certification or backup withholding will apply. If you are subject to backup withholding and you are merely providing your correct TIN to the requester, you must cross out item 2 in the certification before signing the form.

- **3. Real estate transactions.** You must sign the certification. You may cross out item 2 of the certification.
- 4. Other payments. You must give your correct TIN, but you do not have to sign the certification unless you have been notified that you have previously given an incorrect TIN. "Other payments" include payments made in the course of the requester's trade or business for rents, royalties, goods (other than bills for merchandise), medical and health care services (including payments to corporations), payments to a nonemployee for services, payments to certain fishing boat crew members and fishermen, and gross proceeds paid to attorneys (including payments to corporations).
- 5. Mortgage interest paid by you, acquisition or abandonment of secured property, cancellation of debt, qualified tuition program payments (under section 529), IRA, Coverdell ESA, Archer MSA or HSA contributions or distributions, and pension distributions. You must give your correct TIN, but you do not have to sign the certification.

#### What Name and Number To Give the Requester

For this type of account:	Give name and SSN of:
1. Individual	The individual
Two or more individuals (joint account)	The actual owner of the account or, if combined funds, the first individual on the account
Custodian account of a minor - (Uniform Gift to Minors Act)	The minor <sup>2</sup>
<ol> <li>a. The usual revocable savings trust (grantor is also trustee)</li> </ol>	The grantor-trustee 1
<ul> <li>b. So-called trust account that is not a legal or valid trust under state law</li> </ul>	The actual owner '
<ol><li>Sole proprietorship or disregarded entity owned by an individual</li></ol>	The owner <sup>3</sup>
For this type of account:	Give name and EIN of:
Disregarded entity not owned by an individual	The owner
7. A valid trust, estate, or pension trust	Legal entity <sup>1</sup>
Corporate or LLC electing corporate status on Form 8832	The corporation
Association, club, religious, charitable, educational, or other tax-exempt organization	The organization
10. Partnership or multi-member LLC	The partnership
11. A broker or registered nominee	The broker or nominee
<ol> <li>Account with the Department of Agriculture in the name of a public entity (such as a state or local government, school district, or</li> </ol>	The public entity
prison) that receives agricultural program payments	

List first and circle the name of the person whose number you furnish. If only one person on a joint account has an SSN, that person's number must be furnished.

**Note.** If no name is circled when more than one name is listed, the number will be considered to be that of the first name listed.

### **Secure Your Tax Records from Identity Theft**

Identity theft occurs when someone uses your personal information such as your name, social security number (SSN), or other identifying information, without your permission, to commit fraud or other crimes. An identity thief may use your SSN to get a job or may file a tax return using your SSN to receive a refund.

To reduce your risk:

- Protect your SSN,
- Ensure your employer is protecting your SSN, and
- Be careful when choosing a tax preparer.

Call the IRS at 1-800-829-1040 if you think your identity has been used inappropriately for tax purposes.

Victims of identity theft who are experiencing economic harm or a system problem, or are seeking help in resolving tax problems that have not been resolved through normal channels, may be eligible for Taxpayer Advocate Service (TAS) assistance. You can reach TAS by calling the TAS toll-free case intake line at 1-877-777-4778 or TTY/TDD 1-800-829-4059.

Protect yourself from suspicious emails or phishing schemes. Phishing is the creation and use of email and websites designed to mimic legitimate business emails and websites. The most common act is sending an email to a user falsely claiming to be an established legitimate enterprise in an attempt to scam the user into surrendering private information that will be used for identity theft.

The IRS does not initiate contacts with taxpayers via emails. Also, the IRS does not request personal detailed information through email or ask taxpayers for the PIN numbers, passwords, or similar secret access information for their credit card, bank, or other financial accounts.

If you receive an unsolicited email claiming to be from the IRS, forward this message to *phishing@irs.gov*. You may also report misuse of the IRS name, logo, or other IRS personal property to the Treasury Inspector General for Tax Administration at 1-800-366-4484. You can forward suspicious emails to the Federal Trade Commission at: *spam@uce.gov* or contact them at *www.consumer.gov/idtheft* or 1-877-IDTHEFT(438-4338).

and a company of the comment

suffer to show aggreened to be better better the

Visit the IRS website at www.irs.gov to learn more about identity theft and how to reduce your risk.

#### **Privacy Act Notice**

Section 6109 of the Internal Revenue Code requires you to provide your correct TIN to persons who must file information returns with the IRS to report interest, dividends, and certain other income paid to you, mortgage interest you paid, the acquisition or abandonment of secured property, cancellation of debt, or contributions you made to an IRA, or Archer MSA or HSA. The IRS uses the numbers for identification purposes and to help verify the accuracy of your tax return. The IRS may also provide this information to the Department of Justice for civil and criminal litigation, and to cities, states, the District of Columbia, and U.S. possessions to carry out their tax laws. We may also disclose this information to other countries under a tax treaty, to federal and state agencies to enforce federal nontax criminal laws, or to federal law enforcement and intelligence agencies to combat terrorism.

You must provide your TIN whether or not you are required to file a tax return. Payers must generally withhold 28% of taxable interest, dividend, and certain other payments to a payee who does not give a TIN to a payer. Certain penalties may also apply.

<sup>&</sup>lt;sup>2</sup>Circle the minor's name and furnish the minor's SSN.

<sup>&</sup>lt;sup>3</sup>You must show your individual name and you may also enter your business or "DBA" name on the second name line. You may use either your SSN or EIN (If you have one), but the IRS encourages you to use your SSN.

<sup>&</sup>lt;sup>4</sup> List first and circle the name of the trust, estate, or pension trust. (Do not furnish the TIN of the personal representative or trustee unless the legal entity itself is not designated in the account title.) Also see Special rules for partnerships on page 1.

### Contractor Affidavit under O.C.G.A. § 13-10-91(b)(1)

By executing this affidavit, the undersigned contractor verifies its compliance with O.C.G.A. § 13-10-91, stating affirmatively that the individual, firm or corporation which is engaged in the physical performance of services on behalf of the City of Atlanta has registered with, is authorized to use and uses the federal work authorization program commonly known as E-Verify, or any subsequent replacement program, in accordance with the applicable provisions and deadlines established in O.C.G.A. § 13-10-91. Furthermore, the undersigned contractor will continue to use the federal work authorization program throughout the contract period and the undersigned contractor will contract for physical performance of services in satisfaction of such contract only with subcontractors who present an affidavit to the contractor with the information required by O.C.G.A. § 13-10-91(b). Contractor hereby attests that its federal work authorization user identification number and date of authorization are as follows:

Federal Work Authorization User Identification Number	Date of Auth	orization —
Name of Contractor:	Hitanako (P. – 1914–144) Anako (1444–1444) - 1444–1444 Anako (1444–1444) - Haraman	
Name of Project:		
Name of Public Employer: City of Atlanta	·	<u> </u>
I hereby declare under penalty of perjury that the forgoin	g is true and corr	ect.
Executed on,, 20 in	(city),	(state)
Signature of Authorized Officer or Agent		
· · · · · · · · · · · · · · · · · · ·		
Printed name and Title of Authorized Officer or Agent		
SUBSCRIBED AND SWORN BEFORE ME ON THIS THE, DAY OF, 201		
NOTARY PUBLIC		
My Commission Expires:		

BID NUMBER: 8128-AP

# Subcontractor Affidavit under O.C.G.A. § 13-10-91(b)(3)

	ng this affidavit, the undersigned subcortions, stating affirmatively that the indivi-	-	
	e physical performance of serv		
	(name of co		
Atlanta has register	red with, is authorized to use and uses the	e federal work authorization t	rogram
	as E-Verify, or any subsequent replacem		
	ons and deadlines established in O.C.G		
	ontractor will continue to use the fe		
<del></del>	tract period and the undersigned subcon-	-	_
performance of se	ervices in satisfaction of such contract	only with sub-subcontractor	rs who
present an affidavi	t to the subcontractor with the informat	tion required by O.C.G.A. §	. 13-10-
91(b). Additionally	y, the undersigned subcontractor will for	orward notice of the receip	t of an
	b-subcontractor to the contractor within	-	
<del>-</del>	ntractor receives notice of receipt of an a		
	with a sub-subcontractor to forward, wi	· · · · · · · · · · · · · · · · · · ·	
	ice to the contractor. Subcontractor he		
authorization user i	dentification number and date of authoriz	anon are as follows:	taft file
	move je:		
	orization User Identification Number		
Nama of Subcentre	notor:	Control of	
	actor:		
		<u> </u>	
Name of Public En	aployer: City of Atlanta		
	The state of the s		
I bereby declare n	ınder penalty of perjury that the forgoi	ng is true and correct.	
i northly decime a	made penalty of perjury that the lorger	ng is the unit convolu	
Executed on		(city),	(state)
	e Mile di la contrate e de dell'alla e legge	ens	
Signature of Autho	rized Officer or Agent		
	and a partie of the control of the second		
Printed name and	Fitle of Authorized Officer or Agent	num	
i inited fiame and i	The of Authorized Officer of Agent	•	, -
SUBSCRIBED AN	ID SWORN BEFORE		
ME ON THIS THI	E, DAY OF, 201		
		<del></del>	
NOTARY PUBLIC	7	· · · · · · · · · · · · · · · · · · ·	
My Commission E	··		
TATA COMMISSION F	APITOD		

BID NUMBER: 8128-AP

# Sub-subcontractor Affidavit under O.C.G.A. § 13-10-91(b)(4)

with OCCA \$12.10.01 station of firms attacks that the individual firms an assumantian which is
with O.C.G.A. §13-10-91, stating affirmatively that the individual, firm or corporation which is engaged in the aphysical performance of services under a contract for
(name of subcontractor or sub-subcontractor with whom such sub-subcontractor has privity of contract)) and
(
City of Atlanta has registered with, is authorized to use and uses the federal work authorization
program commonly known as E-Verify, or any subsequent replacement program, in accordance
with the applicable provisions and deadlines established in O.C.G.A.§13-10-91. Furthermore
the undersigned sub-subcontractor will continue to use the federal work authorization program
throughout the contract period and the undersigned sub-subcontractor will contract for the
physical performance of services in satisfaction of such contract only with sub-subcontractor
who present an affidavit to the sub-subcontractor with the information required by O.C.G.A
§13-10-91(b). The undersigned sub-subcontractor shall submit, at the time of such contract, this
affidavit to (
sub-subcontractor with whom such sub-subcontractor has privity of contract)). Additionally, the
undersigned sub-subcontractor will forward notice of the receipt of any affidavit from a sub-
subcontractor to (
or sub-subcontractor with whom such sub-subcontractor has privity of contract)). Sub-
subcontractor hereby attests that its federal work authorization user identification number an
date of authorization are as follows:
Endown! World Authorization How Identification Number Date of Authorization
Peneral Work Amborization risec identification Nationer — Date of Amborization
Federal Work Authorization User Identification Number Date of Authorization
Name of Contractor:
Name of Contractor:
Name of Contractor: /
Name of Contractor:
Name of Contractor:  Name of Project:  Name of Public Employer:  City of Atlanta
Name of Contractor: /
Name of Contractor:  Name of Project:  Name of Public Employer:  City of Atlanta  I hereby declare under penalty of perjury that the forgoing is true and correct.
Name of Contractor:  Name of Project:  Name of Public Employer:  City of Atlanta  I hereby declare under penalty of perjury that the forgoing is true and correct.
Name of Contractor:  Name of Project:  Name of Public Employer: City of Atlanta  I hereby declare under penalty of perjury that the forgoing is true and correct.  Executed on , , 20 in (city), (state)
Name of Project:  Name of Project:  Name of Public Employer:  City of Atlanta  I hereby declare under penalty of perjury that the forgoing is true and correct.  Executed on
Name of Contractor:  Name of Project:  Name of Public Employer: City of Atlanta  I hereby declare under penalty of perjury that the forgoing is true and correct.  Executed on , , 20 in (city), (state)
Name of Project:  Name of Project:  Name of Public Employer:  City of Atlanta  I hereby declare under penalty of perjury that the forgoing is true and correct.  Executed on
Name of Contractor:  Name of Project: Name of Public Employer:  City of Atlanta  I hereby declare under penalty of perjury that the forgoing is true and correct.  Executed on
Name of Project:  Name of Project:  Name of Public Employer:  City of Atlanta  I hereby declare under penalty of perjury that the forgoing is true and correct.  Executed on
Name of Contractor:  Name of Project: Name of Public Employer:  City of Atlanta  I hereby declare under penalty of perjury that the forgoing is true and correct.  Executed on
Name of Project: Name of Public Employer: City of Atlanta  I hereby declare under penalty of perjury that the forgoing is true and correct.  Executed on
Name of Contractor:  Name of Project: Name of Public Employer:  City of Atlanta  I hereby declare under penalty of perjury that the forgoing is true and correct.  Executed on

Material Type: VARIOUS MOWERS

Item Number: 0206502

Revision Date: March 23, 2015

#### CITY OF ATLANTA SPECIFICATION FOR VARIOUS LANDSCAPES MOWERS

#### 1. SCOPE AND CLASSIFICATION

CDOIMI

- 1.1 Scope This specification describes the minimum acceptable requirements for Various Type Mowers.
- 1.2 Classification The material (s) shall be classified as follows:

GROUP	_	HEAVY DUTY TRACTOR SLOPE MOWER
GROUP II	-	48 INCH REMOTE CONTROL SLOPE MOWER
CDOIMIII		21 DICH COMMEDCIAL DOTABLY MOSSED

GROUP III - 21-INCH COMMERCIAL ROTARY MOWER
GROUP IV - 22-INCH COMMERCIAL ROTARY MOWER
GROUP V - 24-INCH COMMERCIAL ROTARY MOWER

GROUP VI - 30-INCH COMMERCIAL ROTARY MOWER

GROUP VII - 32-INCH RIDING MOWER

GROUP VIII - 36-INCH HYDRO WALK BEHIND MOWER

GROUP IX - 52-INCH RIDING ROTARY MOWER

GROUP X - 16 FEET TRACTOR MOWER WITH ROAD

GROUP XI - PACKAGE KIT, ROLL BAR AND CANOPY
11 FEET TRACTOR MOWER WITH ROAD

PACKAGE KIT, ROLL BAR AND CANOPY

GROUP XII - TOWED FLEX – WING ROTARY MOWER
GROUP XIII - 60" HEAVY DUTY RIDING MID-MOUNT

**MOWERS** 

Group XIV 72-INCH RIDING SLOPE ROTARY MOWER

#### 2. NOTES

#### **IMPORTANT: INSTRUCTIONS TO ALL BIDDERS:**

The City will consider valid only those bids which comply with these instructions:

- 2.1 At numbered specific requirements section, all bidders must insert or write "COMPLIANCE" or "EXCEPTION" at each space provided.
- 2.2 Bidder "EXCEPTIONS" further clarification, or notes must be detailed in these spaces or on additional sheets referencing the numbered specification paragraph.
- 2.3 Report of Purchases An itemized (monthly) report of all purchases made during the first nine (9) months of this contract will be required to be submitted to the Chief Procurement Officer during the tenth (10th) month of this contract. Failure

FIRM NAME	SIGNATURE	
LIMINI MARKIT	 SIGNATORE	

to submit "Report of Usage" may result in forfeiture of future contracts with the City of Atlanta.

- 2.4 The equipment to be furnished must be currently on production and shall be manufacturer's standard model complete with all standard equipment. When cost effective and consistent with operational needs of the department, all energy consuming equipment purchased will be energy efficient, defined as meeting either Energy Star specification of criteria that puts products in the upper 25% of energy efficiency, as well as meeting quality, performance and durability requirements.
- 2.5 All bidders must submit two (2) sets of descriptive literature (If applicable) plainly marked with:
  - A Company Name
  - B Group to which literature pertains for each item and components bid.
- 2.6 This Invitation for Bid covers parts and service for one (1) year after delivery date. Bidder must submit price information for parts and service indicating schedule or rate of discount, which shall apply to the City of Atlanta.
- 2.7 Bidder (where applicable) must be able to supply ninety percent (90%) of parts required to maintain this equipment within 24 hours and have access to the remaining ten percent (10%) of parts within 72 hours.
- 2.8 Bidders will supply original manufacturer part crossover numbers for parts, which are not manufactured by the equipment manufacturer after the award of bid but prior to the delivery of equipment.
- 2.9 Successful bidder (where applicable) must provide a minimum of four (4) hours instruction in the proper and safe use of the equipment.
- 2.10 Successful bidder must provide parts, service and operating manuals for each unit provided.
- 2.11 Successful bidder must supply information described on attachments A and B, along with the manufactures bid. Line set sheet (where applicable) shall be completed and furnished at time of delivery of each piece of equipment ordered.
- 2.12 Without expressed or implied obligation on the part of the City of Atlanta to perform, the bidder may submit an option to the City for a multi-year purchase concept covering three (3) years' service and parts for equipment covered by this bid. State provisions of the multi-year purchase option including terms, price and expiration date. Attach a separate sheet.

FIRM NAME	 SIGNATURE	

- 2.12.1 The Code of Ordinance of the City of Atlanta specifically prohibits obligating the City for future budget years.
- 2.12.2 In the event options are exercised to purchase units in subsequent years the provisions as related to parts and services will apply as indicated above.
- 2.13 The City of Atlanta reserves the right to increase or decrease quantities shown without penalty.
- 2.14 Quantities None of the various agencies, either individually or collectively, will be required to purchase any minimum amount during the term of this contract, nor will they be limited, either individually or collectively, to any maximum amount during the term of this contract.
- 2.15 Any quantities remaining undelivered may be automatically canceled at expiration of contract or purchase order.
- 2.16 The City prefers to make a single award for all of the items listed. Separate awards may be made by group or by line item, if it appears to be in the best interest of the City to do so.
- 2.17 <u>Default</u> The contract may be canceled or annulled by the Chief Procurement Officer in whole or in part by written notice of default to the vendor upon non-performance or violation of contract terms. An award may be made to the next lowest bidder or articles specified may be purchased on the open market similar to those so terminated. In either event, the defaulting vendor (or his/her surety) shall be liable to the City for costs to the City in excess of the defaulted contract prices provided that the vendor shall continue the performance of this contract to the extent not terminated under the provision of this clause. Failure of the vendor to deliver materials or services within the time stipulated on their bid, unless extended in writing by the Chief Procurement Officer, shall constitute contract default.
- 2.18 <u>Escalation/De-Escalation Clause</u> Preference shall be given to the bidder submitting the lowest and best firm price as their bid. Should it be found that due to unusual market conditions it is to the best interest of the City of Atlanta to accept a price with an escalation/de-escalation clause, the following shall
  - 2.18.1 The contract price shall be frozen for a specified period. This period must be shown on your bid.
  - 2.18.2 <u>Escalation</u> Cost data to support any proposed increase must be submitted to the Chief Procurement Officer of the Department of Procurement not less than thirty (30) days prior to the effective date of any such requested price increase.

FIRM NAME	'	SIGNATURE _	•

- 2.18.3 Any adjustment allowed shall consist only of bona fide cost increases resulting from such situations as unforeseen raw material cost increase which may be passed on to the consumer.
- 2.18.4 No adjustment shall be made to compensate a supplier for inefficiency in operation, or for additional profit.
- 2.18.5 De-Escalation In the event that market media indicators show that the prices for those materials, goods or services have overall decreased but the vendor has failed to pass the price decrease onto the City, the City reserves the right to place the vendor in default for cause, cancel the awarded contract, remove the vendor from the City of Atlanta Bidders List for a period deemed suitable to the City, and recuperate any state of the City and recuperate and recuperate any state of the City and recuperate and recuperate and recuperate and recuperate and recuperate any state of the City and recuperate and recuperate any state of the City and recuperate and recurrence and recurrence and recurrence and recurrence and recuperate and recurrence and recurrence and recurrence and recurrence and recurrence and damages from the vendor.
- 2.19 Evaluation Criteria - Listed below are the criteria used to evaluate bids for the City of Atlanta. These criteria will carry as much weight as Low Bid so that the City of Atlanta, in evaluating bids will be able to determine the "Lowest Complete and Satisfactory Bidder" which will be in the best interest of the City. The criteria are as follows: 12 and 1

a.	Conformance	e to Specif	ication				
<b>b</b> .	Low Bid			1	 10000000	11 11 11 11 11 11 11	. 14 - 1 - 9

- Low Bid b.
- c. Price
- <u>Training</u> (Amount of Hours and Level Offered) d.
- Parts Availability (Local Source) e.
- f. Capability - of unit (s) offered to perform the tasks of the User Department(s). Field Demonstrations may be requested to insure that the equipment meets User and Engineering Specifications. Financial Capability

  Discount Offered

A confirmation of the contract of the contract

- g.
- h.
- Freight Charges i.
- į. Delivery Time
- k. Warranty
- Vendor Past Performance 1.
- Vendor Availability to Perform the transfer and the second m.
- <u>Vendor Reference</u> Vendor shall submit three (3) references from n. individuals, entity or corporation for which a similar project was to be a similar pro successfully completed within time and budget. Also to be of consideration in the evaluation of bid is the vendor's past performance of this contract/supply bid. (Please see final page of this specification for Vendor Reference form)

2.20	Will your company accept a portion of this contract? Please check in the appropriate space yes no
2.21	If in the best interest of the City of Atlanta and with the written consent of
FIRM NAME	SIGNATURE

the vendor, this contract may be extended for one (1) additional year.

- 2.22 Brand Name or Trade Name Instructions If items in this Invitation for Bid have been identified, described or referenced by a brand name or trade name description, such identification is intended to be descriptive, but not restrictive and is to indicate the quality and characteristics of products that may be offered. Products may be considered for award if such products are clearly identified in the bids and are determined by the City of Atlanta to meet its needs in all respects.
  - 2.22.1 All bidders, including bidders whose products may be referenced, shall clearly indicate manufacturer/trade name and identifying number in space provided within Pricing Sheet of this Invitation for Bid.

A NORTH HOLE TO BOTH OF A COLOR OF DAIL

- 2.22.2 If the bidder proposes to furnish another product, such products shall be clearly identified in the bid. The evaluation of bids and the determination as to equality of products offered shall be the responsibility of the City and will be based on information furnished by the bidder. Accordingly, to insure that sufficient information is available the bidder may be required to submit literature and/or samples prior to award. These shall be supplied within seven days, if required.
- 2.22.3 The purchase of any item by the City as a result of this Invitation for Bid is not a judgment of one product against another. Consideration of application, need and price will constitute purchase determination.
- 2.23 <u>Alternate Bid</u> Bidders, who have other items they wish to offer in lieu of or in addition to that required by this Contract, should submit a separate Bid marked "ALTERNATE BID FOR BID NO.<u>8128- AP</u>." Alternate Bids will automatically be deemed non-responsive and will not be considered for award of the subject Contract. Such bids however, may be examined prior to award the subject Contract and may result in either cancellation of all bids to permit rewriting of the Specifications to include the alternate item in a rebid or the alternate item may be considered for future requirements.
- 2.24 A careful and accurate account of labor, including the name(s) or identification of mechanic(s), helper(s), etc. and the hours of work applied to each job, listing actual parts used in the performance of each job, description of the City equipment as well as parts only purchased under this contract is to be maintained by the vendor for a period of not less than one year. Such account or record may be subject to audit by an authorized City official.
- 2.25 Invoices must be itemized to show hours of labor, parts, materials, accessories with unit price and extension, including the applicable purchase order number.
- 2.26 Documentation The awarded bidder at time of delivery of equipment shall provide the following documents were applicable:

FIRM NAME	METALONIA AND AND AND AND AND AND AND AND AND AN	SIGNATURE	

2.	<ul> <li>2.26.1 Certificate of Origin (MSO) or copy (identifying the title of equipme 2.26.2 Delivery Ticket</li> <li>2.26.3 Completed tag application</li> <li>2.26.4 Warranty Certificate</li> <li>2.26.5 History Sheet</li> <li>2.26.6 Original Invoice</li> <li>2.26.7 Tag/Title (where applicable)</li> <li>Audit - The vendor shall maintain all books, documents, papers and records pertaining to this contract and to make such books and records available for inspection and auditing, upon reasonable notice by the City. As a result of a such audits, overcharges will be adjusted and compensation made by the vendor as applicable under this contract. Such books and records shall be maintained and made available for inspection and auditing for the duration of the contract.</li> </ul>	
	contract and for a period of not less than three (3) years after the expiration of	date
	of contract.	
3. R	QUIREMENTS	121 12 - 13 - 13 - 13 - 13 - 13 - 13 - 1
	use state "Compliance" or "Exception pursuant to the instructions contained in agraph NOTES 2.1 and 2.2 of the ITB.	New Trons, a cent
3.	<u>Definition</u> - For the purpose of this bid, "Parts" shall be defined as compone a unit to be provided by the vendor to the City. "Service" shall be defined as furnishing of labor time or effort by a vendor, to repair or rebuild (where applicable), a part, component, or service (where applicable), the unit/item a whole.	ents of social streets of soci
3.	Vendor shall provide like and similar goods not listed on pricing sheets at	
3.	Procedures - Bidder must comply with procedures established and outlined to Office of Fleet Services with regard to requesting services, accepting services payment processes. <b>NOTE:</b> <u>All</u> invoices must include the purchase order number to avoid payment delays.	es and side side side side side side side sid
3.	<u>Design</u> - All vehicles and allied equipment shall be new models that are in c production. All vehicles shall be complete and accessories customarily furnit together with such modifications as may be necessary to enable the vehicle t function reliably and efficiently in sustained operation. The vehicles and all equipment shall be designed to permit accessibility for maintenance purpose minimal disturbance of other components or assemblies. The term "Heavy-as used to describe an item shall be defined to mean in excess of the usual	urrent ished to allied es with
FIRM NAI	Page 6 of 32 SIGNATURE	

	quantity, quality, or production item.	r capacity that is	normally supplied with	the standard
	Compliance		Exception	***************************************
3.5	Exterior and Interiorall applicable Feder	ral noise emissio		- '
	Compliance		Exception	<u>ince le</u> color trine di se colo <u>g</u> azionime este Ellore (colornese diferencia color la medica Californese este colornese el de glocalitationes
3.6	pressurized forced necessary compone operating condition shall be maintained rating and continuatemperatures ranging 34.45 degrees to thermostatically continuate temperatures of the shall be maintained and continuate temperatures ranging 34.45 degrees to the shall be maintained as a shall be mai	The cooling circulation type ents to maintain as without any I with the vehicously operating and from minus to 48.90 degrant of the course of	system shall be of where applicable. System safe engine operating loss of coolant. Optimale loaded to the specific at all drivable altitudes 30 degrees to 120 degrees Celsius). Cooling all be suitable for opecessible drain outlets structured by the system drainage.	the heavy-duty liquid cems shall consist of the temperatures under all cemperature and gross vehicle weight and grades in ambient rees Fahrenheit (minus g systems shall be tration with permanent
	Compliance		Exception	in a series de la company de la company La company de la company d
3.7	systems available fo	r the engine fur stened and rout	ns shall be the manuf nished. Systems shall be	acturer's heaviest duty corrosion resistant and a shall meet all Federal
	Compliance		Exception	Markey Sally 2
3.8	accessible to the	driver/operator. tion. All contro	Instruments and corls, operating mechanism	nplete and conveniently attrols shall be clearly as and instruments shall
	Compliance	<u> </u>	Exception	<u>an and and a</u> service of the servic
3.9			ss otherwise specified) a for the vehicle type prop	and shall conform to all bosed.
				o karangan bengawang palabah bahasa Pasa <u>Palabah</u> Kabasa Sasara dan antah bahasa Pasa
	Compliance		Exception	
FIRM NAME	•		SIGNATURE	

3.10	systems shall be e	oster — If applicable, vehicles equipped with hot was equipped with discharge outlets to the floor and defrost to the windows for defrosting. Systems shall be equipped.	ter louvers
		e de la companya de	·
	Compliance	Exception of the second of the	
3.11	engineering and	terials shall be new and of quality conforming manufacturing practices. Materials shall be free of conforming for intended service.	lefects and
	Compliance	Exception:	
3.12	in this specification	e is a delay in the delivery of the placed order beyond to on, it is the responsibility of the vendor to immediately e of Fleet Services of the problem and the anticipated a	hat noted vinform in ectual
	Compliance	Exception	
3.13	vehicles, repair se	t have a minimum of five (5) years experience in provervices and parts, with a minimum of two (2) years proa governmental agency.	viding
	,		
	Compliance	Exception	
3.14	Atlanta Area, acc areas shall mean t	t provide access to warranty and repair services within cording to Atlanta Regional Development Commission the region that consist of the following Georgia countion, Cobb, DeKalb, Douglas, Fayette, Fulton, Gwinnett,	(ARDC) es: Henry,
	Compliance	Exception	
	,	A Section of a Section of the Sectio	
3.15	delivered. These	I provide at least three (3) complete sets of keys for each key sets shall cover all lock mechanisms on the unit to access panels, glove boxes, etc.	
	Compliance	Exception	
FIRM NAME		SIGNATURE	

granity, and is a second discount of the specifical

# GROUP I – HEAVY DUTY TRACTOR SLOPE MOWER

# 3.16 <u>MINIMUM SPECIFICATIONS – HEAVY DUTY TRACTOR SLOPE</u> <u>MOWER</u>

Item Number	GROUP I – HEAVY DUTY TRACTOR SLOPE MOWER	Compliance	Exception
	Description		
	Requirements		
1.1	3,637 lbs.  Lenoth 10 9"		
1.2	zugu vo		
1.3	Width 6.2"		
1.4	Height 6.4"		
2. Engine			
2.1	Four (4) cylinder water cooled turbo-charged diesel.		
2.2	61 HP @ 2,800 RPM (minimum).		
2.3	Diesel fuel tank capacity 16 gallons.		Part Message Comment
2.4	Large surface water/oil radiator for tropical temperatures cooled by thermostatic controlled twin electrical fans.		
2.5	Radiator to be hinged for ease of maintenance.		
3. Electric	al Equipment		
3.1	Key controlled, 12 volt electric starting system.		
3.2	12 volt 90 amp alternator.		
3.3	12 volt heavy duty battery.		
3.4	Operators warning horn.		
3.5	On road driving lights, turn signals, four (4) way flashers, and brake lights.		
3.6	Windshield wiper and washer.		
3.7	On board computer to monitor operating data (i.e. driving speed, fuel capacity, PTO, rpm, engine rpm, hour meter).		La de Santo de Caración de Car
3.8	Solenoid functions for float, side shift differential locks, three (3) point hitch lift, two (2) speeds (low and high) and four (4) wheel steer.	in a himmerike.ip.	k (1 <u>48) k</u> (11 <u>45</u> 4 <u>1</u> .
3.9	Warning lights and water temperature gauge.		
3.10	Cigarette lighter.		
4. Hydrau			
4.1	2,538 PSI, 6GPM @ 2,800 RPM.		
4.2	Front hydraulics, three (3) point category, one (1) with		
	side-shift. Quick connect couplings and functions for	tungton persenta e	SERESTATE OF SERVICE
	lift carry, lower and flat position. Lift capacity 2,646 LBS.		
4.3	Rear three (3) point hitch category one (1) and category two (2) lift power 2,204 LBS.		

	LBS.						
4.3	Rear three (3) point hitch category one (1) and cate two (2) lift power 2,204 LBS.	gory	•				
FIRM NAM	ME SIGN	natuf	RE _	· · · · · ·		· · · · ·	<del></del>

Number   Description				GROUP I – HEAVY DUTY TRACTOR SLOPE	Itam
4.4 Rear hydraulics, two (2) female couplers for a double action cylinder.  4.5 Infinitely variable weight transfer system to insure even weight on all four (4) wheels to maximize traction and stability for safety in adverse conditions.  5. Cab  5.1 Vibration damped drivers ROPS cab providing all round visibility.  5.2 All round-view closed cab with heater, dust filter and air conditioner.  5.3 Working head lights integrated into roof.  5.4 Comfort adjustable seat according to the driver's height and weight. Seat also tilts left and right for steep slope comfort.  6.PTO (Power Takeoff)  6.1 PTO clutch, single plate dry clutch.  6.2 Live PTO shafts front and rear selectable under load. Standard 1 3/8 inch, six (6) spline.  6.3 Rotation speeds: front 59 RPM, rear 610 RPM.  7. Transmission  7.1 Infinitely variable hydrostatic drive with displacement pump and two (2) stage displacement motor.  7.2 Speeds low range 0-7 ½ mph, high range 0-25 mph.  8. Drive  8.1 Four (4) wheel drive with 100% locking differentials for both front and rear. Four (4) wheel driving should be selectable to two (2) wheel drive for driving on roads. Differential locks are selectable "on the fly" electro-hydraulically.  9. Steering  9.1 Hydrostatic four (4) wheel steering (load sensing). Not articulated for maximum safety and stability on slopes. Change from four (4) wheel steer two (2) wheel steer "on the fly" electro-hydraulically with automatic sensing and synchronization of the wheel positions.  9.2 Turning radius with four (4) wheel steer: 9'6"  19.3 Handbrake and independent wheel brakes operating on		ception	Compliance		Item
action cylinder.  4.5 Infinitely variable weight transfer system to insure even weight on all four (4) wheels to maximize traction and stability for safety in adverse conditions.  5. Cab  5.1 Vibration damped drivers ROPS cab providing all round visibility.  5.2 All round-view closed cab with heater, dust filter and air conditioner.  5.3 Working head lights integrated into roof.  5.4 Comfort adjustable seat according to the driver's height and weight. Seat also tilts left and right for steep slope comfort.  6.PTO (Power Takeoff)  6.1 PTO clutch, single plate dry clutch.  6.2 Live PTO shafts front and rear selectable under load. Standard 1 3/8 inch, six (6) spline.  6.3 Rotation speeds: front 591 RPM, rear 610 RPM.  7. Transmission  7.1 Infinitely variable hydrostatic drive with displacement pump and two (2) stage displacement motor.  7.2 Speeds low range 0-7 ½ mph, high range 0-25 mph.  8. Drive  8.1 Four (4) wheel drive with 100% locking differentials for both front and rear. Four (4) wheel driving should be selectable to two (2) wheel drive for driving on roads. Differential locks are selectable "on the fly" electro-hydraulically.  9. Steering  9.1 Hydrostatic four (4) wheel steering (load sensing). Not articulated for maximum safety and stability on slopes. Change from four (4) wheel steering (load sensing). Not articulated for maximum safety and stability on slopes. Change from four (4) wheel steer to two (2) wheel steer "on the fly" electro-hydraulically with automatic sensing and synchronization of the wheel positions.  9.2 Turning radius with four (4) wheel steer: 9'6"  9.3 Handbrake and independent wheel brakes operating on		_	_	Description	Number
4.5				Rear hydraulics, two (2) female couplers for a double	4.4
weight on all four (4) wheels to maximize traction and stability for safety in adverse conditions.  5. Cab  5.1 Vibration damped drivers ROPS cab providing all round visibility.  5.2 All round-view closed cab with heater, dust filter and air conditioner.  5.3 Working head lights integrated into roof.  5.4 Comfort adjustable seat according to the driver's height and weight. Seat also tilts left and right for steep slope comfort.  6.PTO (Power Takeoff)  6.1 PTO clutch, single plate dry clutch.  6.2 Live PTO shafts front and rear selectable under load. Standard 1 3/8 inch, six (6) spline.  6.3 Rotation speeds: front 591 RPM, rear 610 RPM.  7. Transmission  7.1 Infinitely variable hydrostatic drive with displacement pump and two (2) stage displacement motor.  7.2 Speeds low range 0-7 ½ mph, high range 0-25 mph.  8. Drive  8.1 Four (4) wheel drive with 100% locking differentials for both front and rear. Four (4) wheel driving should be selectable to two (2) wheel drive for driving on roads. Differential locks are selectable "on the fly" electro-hydraulically.  9. Steering  9.1 Hydrostatic four (4) wheel steering (load sensing). Not articulated for maximum safety and stability on slopes. Change from four (4) wheel steer to two (2) wheel steer "on the fly" electro-hydraulically with automatic sensing and synchronization of the wheel positions.  9.2 Turning radius with four (4) wheel steer: 9'6"  9.3 Handbrake and independent wheel brakes operating on					15
stability for safety in adverse conditions:  5. Cab  5.1 Vibration damped drivers ROPS cab providing all round visibility.  5.2 All round-view closed cab with heater, dust filter and air conditioner.  5.3 Working head lights integrated into roof.  5.4 Comfort adjustable seat according to the driver's height and weight. Seat also tilts left and right for steep slope comfort.  6.PTO (Power Takeoff)  6.1 PTO clutch, single plate dry clutch.  6.2 Live PTO shafts front and rear selectable under load. Standard 1 3/8 inch, six (6) spline.  6.3 Rotation speeds: front 591 RPM, rear 610 RPM.  7. Transmission  7.1 Infinitely variable hydrostatic drive with displacement pump and two (2) stage displacement motor.  7.2 Speeds low range 0-7 ½ mph, high range 0-25 mph.  8. Drive  8.1 Four (4) wheel drive with 100% locking differentials for both front and rear. Four (4) wheel driving should be selectable to two (2) wheel drive for driving on roads. Differential locks are selectable "on the fly" electro-hydraulically.  9. Steering  9.1 Hydrostatic four (4) wheel steering (load sensing). Not articulated for maximum safety and stability on slopes. Change from four (4) wheel steer to two (2) wheel steer "on the fly" electro-hydraulically with automatic sensing and synchronization of the wheel positions.  9.2 Turning radius with four (4) wheel steer: 9'6"  9.3 Handbrake and independent wheel brakes operating on					4.3
5. Cab  5.1 Vibration damped drivers ROPS cab providing all round visibility.  5.2 All round-view closed cab with heater, dust filter and air conditioner.  5.3 Working head lights integrated into roof.  5.4 Comfort adjustable seat according to the driver's height and weight. Seat also tilts left and right for steep slope comfort.  6.PTO (Power Takeoff)  6.1 PTO clutch, single plate dry clutch.  6.2 Live PTO shafts front and rear selectable under load. Standard 1 3/8 inch, six (6) spline.  6.3 Rotation speeds: front 591 RPM, rear 610 RPM.  7. Transmission  7.1 Infinitely variable hydrostatic drive with displacement pump and two (2) stage displacement motor.  7.2 Speeds low range 0-7 ½ mph, high range 0-25 mph.  8. Drive  8.1 Four (4) wheel drive with 100% locking differentials for both front and rear. Four (4) wheel driving should be selectable to two (2) wheel drive for driving on roads. Differential locks are selectable "on the fly" electro-hydraulically.  9. Steering  9.1 Hydrostatic four (4) wheel steering (load sensing). Not articulated for maximum safety and stability on slopes. Change from four (4) wheel steer to two (2) wheel steer "on the fly" electro-hydraulically with automatic sensing and synchronization of the wheel positions.  9.2 Turning radius with four (4) wheel steer: 9'6"  9.3 Handbrake and independent wheel brakes operating on					
5.1 Vibration damped drivers ROPS cab providing all round visibility.  5.2 All round-view closed cab with heater, dust filter and air conditioner.  5.3 Working head lights integrated into roof.  5.4 Comfort adjustable seat according to the driver's height and weight. Seat also tilts left and right for steep slope comfort.  6.PTO (Power Takeoff)  6.1 PTO clutch, single plate dry clutch.  6.2 Live PTO shafts front and rear selectable under load. Standard 1 3/8 inch, six (6) spline.  6.3 Rotation speeds: front 591 RPM, rear 610 RPM.  7. Transmission  7.1 Infinitely variable hydrostatic drive with displacement pump and two (2) stage displacement motor.  7.2 Speeds low range 0-7 ½ mph, high range 0-25 mph.  8. Drive  8.1 Four (4) wheel drive with 100% locking differentials for both front and rear. Four (4) wheel driving should be selectable to two (2) wheel drive for driving on roads. Differential locks are selectable "on the fly" electro-hydraulically.  9. Steering  9.1 Hydrostatic four (4) wheel steering (load sensing). Not articulated for maximum safety and stability on slopes. Change from four (4) wheel steer to two (2) wheel steer "on the fly" electro-hydraulically with automatic. sensing and synchronization of the wheel positions.  9.2 Turning radius with four (4) wheel steers 9'6"  9.3 Handbrake and independent wheel brakes operating on				stability for safety in adverse conditions.	5 O.1
round visibility.  5.2 All round-view closed cab with heater, dust filter and air conditioner.  5.3 Working head lights integrated into roof.  5.4 Comfort adjustable seat according to the driver's height and weight. Seat also tilts left and right for steep slope comfort.  6.PTO (Power Takeoft)  6.1 PTO clutch, single plate dry clutch.  6.2 Live PTO shafts front and rear selectable under load. Standard 1 3/8 inch, six (6) spline.  6.3 Rotation speeds: front 591 RPM, rear 610 RPM.  7.Transmission  7.1 Infinitely variable hydrostatic drive with displacement pump and two (2) stage displacement motor.  7.2 Speeds low range 0-7 ½ mph, high range 0-25 mph.  8. Drive  8.1 Four (4) wheel drive with 100% locking differentials for both front and rear. Four (4) wheel driving should be selectable to two (2) wheel drive for driving on roads. Differential locks are selectable "on the fly" electro-hydraulically.  9. Steering  9.1 Hydrostatic four (4) wheel steering (load sensing). Not articulated for maximum safety and stability on slopes. Change from four (4) wheel steer to two (2) wheel steer "on the fly" electro-hydraulically with automatic sensing and synchronization of the wheel positions.  9.2 Turning radius with four (4) wheel steers 9'6"  9.3 Handbrake and independent wheel brakes operating on				Vibration down of Jaiwan DODG at a 11: 11	A sa the Manager A Control of the Co
5.2 All round-view closed cab with heater, dust filter and air conditioner.  5.3 Working head lights integrated into roof.  5.4 Comfort adjustable seat according to the driver's height and weight. Seat also tilts left and right for steep slope comfort.  6.PTO (Power Takcoff)  6.1 PTO clutch, single plate dry clutch.  6.2 Live PTO shafts front and rear selectable under load. Standard 1 3/8 inch, six (6) spline.  6.3 Rotation speeds: front 591 RPM, rear 610 RPM.  7.Transmission  7.1 Infinitely variable hydrostatic drive with displacement pump and two (2) stage displacement motor.  7.2 Speeds low range 0-7 ½ mph, high range 0-25 mph.  8. Drive  8.1 Four (4) wheel drive with 100% locking differentials for both front and rear. Four (4) wheel driving should be selectable to two (2) wheel drive for driving on roads. Differential locks are selectable "on the fly" electro-hydraulically.  9. Steering  9.1 Hydrostatic four (4) wheel steering (load sensing). Not articulated for maximum safety and stability on slopes. Change from four (4) wheel steer to two (2) wheel steer "on the fly" electro-hydraulically with automatic sensing and synchronization of the wheel positions.  9.2 Turning radius with four (4) wheel strace; 9'6'  9.3 Handbrake and independent wheel brakes operating on					3.1
air conditioner.  5.3 Working head lights integrated into roof.  5.4 Comfort adjustable seat according to the driver's height and weight. Seat also tilts left and right for steep slope comfort.  6.PTO (Power Takeoff)  6.1 PTO clutch, single plate dry clutch.  6.2 Live PTO shafts front and rear selectable under load. Standard 1 3/8 inch, six (6) spline.  6.3 Rotation speeds: front 591 RPM, rear 610 RPM.  7.Transmission  7.1 Infinitely variable hydrostatic drive with displacement pump and two (2) stage displacement motor.  7.2 Speeds low range 0-7 ½ mph, high range 0-25 mph.  8. Drive  8.1 Four (4) wheel drive with 100% locking differentials for both front and rear. Four (4) wheel driving should be selectable to two (2) wheel drive for driving on roads. Differential locks are selectable "on the fly" electro-hydraulically.  9. Steering  9.1 Hydrostatic four (4) wheel steering (load sensing). Not articulated for maximum safety and stability on slopes. Change from four (4) wheel steer to two (2) wheel steer "on the fly" electro-hydraulically with automatic sensing and synchronization of the wheel positions.  9.2 Turning radius with four (4) wheel staces operating on				· · · · · · · · · · · · · · · · · · ·	5.0
5.3 Working head lights integrated into roof.  5.4 Comfort adjustable seat according to the driver's height and weight. Seat also tilts left and right for steep slope comfort.  6.PTO (Power Takeoff)  6.1 PTO clutch, single plate dry clutch.  6.2 Live PTO shafts front and rear selectable under load. Standard 1 3/8 inch, six (6) spline.  6.3 Rotation speeds: front 591 RPM, rear 610 RPM.  7.Transmission  7.1 Infinitely variable hydrostatic drive with displacement pump and two (2) stage displacement motor.  7.2 Speeds low range 0-7 ½ mph, high range 0-25 mph.  8. Drive  8.1 Four (4) wheel drive with 100% locking differentials for both front and rear. Four (4) wheel driving should be selectable to two (2) wheel drive for driving on roads. Differential locks are selectable "on the fly" electro-hydraulically.  9. Steering  9.1 Hydrostatic four (4) wheel steering (load sensing). Not articulated for maximum safety and stability on slopes. Change from four (4) wheel steer to two (2) wheel steer "on the fly" electro-hydraulically with automatic sensing and synchronization of the wheel positions.  9.2 Turning radius with four (4) wheel steer: 9'6"  9.3 Handbrake and independent wheel brakes operating on	•				5.2
Comfort adjustable seat according to the driver's height and weight. Seat also tilts left and right for steep slope comfort.  6.PTO (Power Takeoff)  6.1 PTO clutch, single plate dry clutch. 6.2 Live PTO shafts front and rear selectable under load. Standard 1 3/8 inch, six (6) spline.  6.3 Rotation speeds: front 591 RPM, rear 610 RPM.  7.Transmission  7.1 Infinitely variable hydrostatic drive with displacement pump and two (2) stage displacement motor.  7.2 Speeds low range 0-7 ½ mph, high range 0-25 mph.  8. Drive  8.1 Four (4) wheel drive with 100% locking differentials for both front and rear. Four (4) wheel driving should be selectable to two (2) wheel drive for driving on roads. Differential locks are selectable "on the fly" electro-hydraulically.  9. Steering  9.1 Hydrostatic four (4) wheel steering (load sensing). Not articulated for maximum safety and stability on slopes. Change from four (4) wheel steer to two (2) wheel steer "on the fly" electro-hydraulically with automatic sensing and synchronization of the wheel positions.  9.2 Turning radius with four (4) wheel steer: 9'6"  9.3 Handbrake and independent wheel brakes operating on		:			
and weight. Seat also tilts left and right for steep slope comfort.  6.PTO (Power Takeoff) 6.1 PTO clutch, single plate dry clutch. 6.2 Live PTO shafts front and rear selectable under load. Standard 1 3/8 inch, six (6) spline. 6.3 Rotation speeds: front 591 RPM, rear 610 RPM. 7.Transmission 7.1 Infinitely variable hydrostatic drive with displacement pump and two (2) stage displacement motor. 7.2 Speeds low range 0-7 ½ mph, high range 0-25 mph. 8. Drive 8.1 Four (4) wheel drive with 100% locking differentials for both front and rear. Four (4) wheel driving should be selectable to two (2) wheel drive for driving on roads. Differential locks are selectable "on the fly" electro-hydraulically. 9. Steering 9.1 Hydrostatic four (4) wheel steering (load sensing). Not articulated for maximum safety and stability on slopes. Change from four (4) wheel steer to two (2) wheel steer "on the fly" electro-hydraulically with automatic sensing and synchronization of the wheel positions.  9.2 Turning radius with four (4) wheel steer: 9'6' 9.3 Handbrake and independent wheel brakes operating on			*.* .		
comfort.  6.PTO (Power Takeoff)  6.1 PTO clutch, single plate dry clutch.  6.2 Live PTO shafts front and rear selectable under load. Standard 1 3/8 inch, six (6) spline.  6.3 Rotation speeds: front 591 RPM, rear 610 RPM.  7.Transmission  7.1 Infinitely variable hydrostatic drive with displacement pump and two (2) stage displacement motor.  7.2 Speeds low range 0-7 ½ mph, high range 0-25 mph.  8. Drive  8.1 Four (4) wheel drive with 100% locking differentials for both front and rear. Four (4) wheel driving should be selectable to two (2) wheel drive for driving on roads. Differential locks are selectable "on the fly" electro-hydraulically.  9. Steering  9.1 Hydrostatic four (4) wheel steering (load sensing). Not articulated for maximum safety and stability on slopes. Change from four (4) wheel steer to two (2) wheel steer "on the fly" electro-hydraulically with automatic sensing and synchronization of the wheel positions.  9.2 Turning radius with four (4) wheel steer: 9'6'  9.3 Handbrake and independent wheel brakes operating on	· · · · · · · · · · · · · · · · · · ·				5.4
6.PTO (Power Takeoff) 6.1 PTO clutch, single plate dry clutch. 6.2 Live PTO shafts front and rear selectable under load. Standard 1 3/8 inch, six (6) spline. 6.3 Rotation speeds: front 591 RPM, rear 610 RPM. 7.Transmission 7.1 Infinitely variable hydrostatic drive with displacement pump and two (2) stage displacement motor. 7.2 Speeds low range 0-7 ½ mph, high range 0-25 mph. 8. Drive 8.1 Four (4) wheel drive with 100% locking differentials for both front and rear. Four (4) wheel driving should be selectable to two (2) wheel drive for driving on roads. Differential locks are selectable "on the fly" electro-hydraulically.  9. Steering 9.1 Hydrostatic four (4) wheel steering (load sensing). Not articulated for maximum safety and stability on slopes. Change from four (4) wheel steer to two (2) wheel steer "on the fly" electro-hydraulically with automatic sensing and synchronization of the wheel positions.  9.2 Turning radius with four (4) wheel steer: 9'6" 9.3 Handbrake and independent wheel brakes operating on		<u></u>	Arry Mysler and Land		
6.1 PTO clutch, single plate dry clutch. 6.2 Live PTO shafts front and rear selectable under load. Standard 1 3/8 inch, six (6) spline. 6.3 Rotation speeds: front 591 RPM, rear 610 RPM. 7. Transmission 7.1 Infinitely variable hydrostatic drive with displacement pump and two (2) stage displacement motor. 7.2 Speeds low range 0-7 ½ mph, high range 0-25 mph. 8. Drive 8.1 Four (4) wheel drive with 100% locking differentials for both front and rear. Four (4) wheel driving should be selectable to two (2) wheel drive for driving on roads. Differential locks are selectable "on the fly" electro-hydraulically.  9. Steering 9.1 Hydrostatic four (4) wheel steering (load sensing). Not articulated for maximum safety and stability on slopes. Change from four (4) wheel steer to two (2) wheel steer "on the fly" electro-hydraulically with automatic sensing and synchronization of the wheel positions.  9.2 Turning radius with four (4) wheel steer: 9'6"  9.3 Handbrake and independent wheel brakes operating on		:			
6.2 Live PTO shafts front and rear selectable under load. Standard 1 3/8 inch, six (6) spline.  6.3 Rotation speeds: front 591 RPM, rear 610 RPM.  7 Transmission  7.1 Infinitely variable hydrostatic drive with displacement pump and two (2) stage displacement motor.  7.2 Speeds low range 0-7 ½ mph, high range 0-25 mph.  8 Drive  8.1 Four (4) wheel drive with 100% locking differentials for both front and rear. Four (4) wheel driving should be selectable to two (2) wheel drive for driving on roads. Differential locks are selectable "on the fly" electro-hydraulically.  9 Steering  9.1 Hydrostatic four (4) wheel steering (load sensing). Not articulated for maximum safety and stability on slopes. Change from four (4) wheel steer to two (2) wheel steer "on the fly" electro-hydraulically with automatic sensing and synchronization of the wheel positions.  9.2 Turning radius with four (4) wheel steer: 9'6"  9.3 Handbrake and independent wheel brakes operating on					· · · · · · · · · · · · · · · · · · ·
Standard 1 3/8 inch, six (6) spline.  6.3 Rotation speeds: front 591 RPM, rear 610 RPM.  7. Transmission  7.1 Infinitely variable hydrostatic drive with displacement pump and two (2) stage displacement motor.  7.2 Speeds low range 0-7 ½ mph, high range 0-25 mph.  8. Drive  8.1 Four (4) wheel drive with 100% locking differentials for both front and rear. Four (4) wheel driving should be selectable to two (2) wheel drive for driving on roads. Differential locks are selectable "on the fly" electro-hydraulically.  9. Steering  9.1 Hydrostatic four (4) wheel steering (load sensing). Not articulated for maximum safety and stability on slopes. Change from four (4) wheel steer to two (2) wheel steer "on the fly" electro-hydraulically with automatic sensing and synchronization of the wheel positions.  9.2 Turning radius with four (4) wheel steer: 9'6"  9.3 Handbrake and independent wheel brakes operating on			tiest tel		· · · · · · · · · · · · · · · · · · ·
Rotation speeds: front 591 RPM, rear 610 RPM.		:	reach into 22 const		6.2
7.1 Infinitely variable hydrostatic drive with displacement pump and two (2) stage displacement motor.  7.2 Speeds low range 0-7 ½ mph, high range 0-25 mph.  8. Drive  8.1 Four (4) wheel drive with 100% locking differentials for both front and rear. Four (4) wheel driving should be selectable to two (2) wheel drive for driving on roads. Differential locks are selectable "on the fly" electro-hydraulically.  9. Steering  9.1 Hydrostatic four (4) wheel steering (load sensing). Not articulated for maximum safety and stability on slopes. Change from four (4) wheel steer to two (2) wheel steer "on the fly" electro-hydraulically with automatic sensing and synchronization of the wheel positions.  9.2 Turning radius with four (4) wheel steer: 9'6"  9.3 Handbrake and independent wheel brakes operating on		:			
7.1 Infinitely variable hydrostatic drive with displacement pump and two (2) stage displacement motor.  7.2 Speeds low range 0-7 ½ mph, high range 0-25 mph.  8. Drive  8.1 Four (4) wheel drive with 100% locking differentials for both front and rear. Four (4) wheel driving should be selectable to two (2) wheel drive for driving on roads. Differential locks are selectable "on the fly" electro-hydraulically.  9. Steering  9.1 Hydrostatic four (4) wheel steering (load sensing). Not articulated for maximum safety and stability on slopes. Change from four (4) wheel steer to two (2) wheel steer "on the fly" electro-hydraulically with automatic sensing and synchronization of the wheel positions.  9.2 Turning radius with four (4) wheel steer: 9'6"  9.3 Handbrake and independent wheel brakes operating on				Rotation speeds: front 591 RPM, rear 610 RPM.	6.3
pump and two (2) stage displacement motor.  7.2 Speeds low range 0-7 ½ mph, high range 0-25 mph.  8. Drive  8.1 Four (4) wheel drive with 100% locking differentials for both front and rear. Four (4) wheel driving should be selectable to two (2) wheel drive for driving on roads. Differential locks are selectable "on the fly" electro-hydraulically.  9. Steering  9.1 Hydrostatic four (4) wheel steering (load sensing). Not articulated for maximum safety and stability on slopes. Change from four (4) wheel steer to two (2) wheel steer "on the fly" electro-hydraulically with automatic sensing and synchronization of the wheel positions.  9.2 Turning radius with four (4) wheel steer: 9'6"  9.3 Handbrake and independent wheel brakes operating on				ssion	7.Transmi
7.2 Speeds low range 0-7 ½ mph, high range 0-25 mph.  8. Drive  8.1 Four (4) wheel drive with 100% locking differentials for both front and réar. Four (4) wheel driving should be selectable to two (2) wheel drive for driving on roads. Differential locks are selectable "on the fly" electro-hydraulically.  9. Steering  9.1 Hydrostatic four (4) wheel steering (load sensing). Not articulated for maximum safety and stability on slopes. Change from four (4) wheel steer to two (2) wheel steer "on the fly" electro-hydraulically with automatic sensing and synchronization of the wheel positions.  9.2 Turning radius with four (4) wheel steer: 9'6"  9.3 Handbrake and independent wheel brakes operating on	*			Infinitely variable hydrostatic drive with displacement	7.1
7.2 Speeds low range 0-7 ½ mph, high range 0-25 mph.  8. Drive  8.1 Four (4) wheel drive with 100% locking differentials for both front and réar. Four (4) wheel driving should be selectable to two (2) wheel drive for driving on roads. Differential locks are selectable "on the fly" electro-hydraulically.  9. Steering  9.1 Hydrostatic four (4) wheel steering (load sensing). Not articulated for maximum safety and stability on slopes. Change from four (4) wheel steer to two (2) wheel steer "on the fly" electro-hydraulically with automatic sensing and synchronization of the wheel positions.  9.2 Turning radius with four (4) wheel steer: 9'6"  9.3 Handbrake and independent wheel brakes operating on					
8.1 Four (4) wheel drive with 100% locking differentials for both front and rear. Four (4) wheel driving should be selectable to two (2) wheel drive for driving on roads. Differential locks are selectable "on the fly" electro-hydraulically.  9. Steering 9.1 Hydrostatic four (4) wheel steering (load sensing). Not articulated for maximum safety and stability on slopes. Change from four (4) wheel steer to two (2) wheel steer "on the fly" electro-hydraulically with automatic sensing and synchronization of the wheel positions.  9.2 Turning radius with four (4) wheel steer: 9'6"  9.3 Handbrake and independent wheel brakes operating on	, <del></del>				7.2
for both front and réar. Four (4) wheel driving should be selectable to two (2) wheel drive for driving on roads. Differential locks are selectable "on the fly" electro-hydraulically.  9. Steering  9.1 Hydrostatic four (4) wheel steering (load sensing). Not articulated for maximum safety and stability on slopes. Change from four (4) wheel steer to two (2) wheel steer "on the fly" electro-hydraulically with automatic sensing and synchronization of the wheel positions.  9.2 Turning radius with four (4) wheel steer: 9'6"  9.3 Handbrake and independent wheel brakes operating on					8. Drive
for both front and rear. Four (4) wheel driving should be selectable to two (2) wheel drive for driving on roads. Differential locks are selectable "on the fly" electro-hydraulically.  9. Steering  9.1 Hydrostatic four (4) wheel steering (load sensing). Not articulated for maximum safety and stability on slopes. Change from four (4) wheel steer to two (2) wheel steer "on the fly" electro-hydraulically with automatic sensing and synchronization of the wheel positions.  9.2 Turning radius with four (4) wheel steer: 9'6"  9.3 Handbrake and independent wheel brakes operating on				Four (4) wheel drive with 100% locking differentials	8.1
be selectable to two (2) wheel drive for driving on roads. Differential locks are selectable "on the fly" electro-hydraulically.  9. Steering  9.1 Hydrostatic four (4) wheel steering (load sensing). Not articulated for maximum safety and stability on slopes. Change from four (4) wheel steer to two (2) wheel steer "on the fly" electro-hydraulically with automatic sensing and synchronization of the wheel positions.  9.2 Turning radius with four (4) wheel steer: 9'6"  9.3 Handbrake and independent wheel brakes operating on					
roads. Differential locks are selectable "on the fly" electro-hydraulically.  9. Steering  9.1 Hydrostatic four (4) wheel steering (load sensing). Not articulated for maximum safety and stability on slopes. Change from four (4) wheel steer to two (2) wheel steer "on the fly" electro-hydraulically with automatic sensing and synchronization of the wheel positions.  9.2 Turning radius with four (4) wheel steer: 9'6"  9.3 Handbrake and independent wheel brakes operating on		•			
electro-hydraulically.  9. Steering  9.1 Hydrostatic four (4) wheel steering (load sensing). Not articulated for maximum safety and stability on slopes. Change from four (4) wheel steer to two (2) wheel steer "on the fly" electro-hydraulically with automatic sensing and synchronization of the wheel positions.  9.2 Turning radius with four (4) wheel steer: 9'6"  9.3 Handbrake and independent wheel brakes operating on		:	Entropy (1877)		
9.1 Hydrostatic four (4) wheel steering (load sensing). Not articulated for maximum safety and stability on slopes. Change from four (4) wheel steer to two (2) wheel steer "on the fly" electro-hydraulically with automatic sensing and synchronization of the wheel positions.  9.2 Turning radius with four (4) wheel steer: 9'6"  9.3 Handbrake and independent wheel brakes operating on			A state of the state of		
9.1 Hydrostatic four (4) wheel steering (load sensing). Not articulated for maximum safety and stability on slopes. Change from four (4) wheel steer to two (2) wheel steer "on the fly" electro-hydraulically with automatic sensing and synchronization of the wheel positions.  9.2 Turning radius with four (4) wheel steer: 9'6"  9.3 Handbrake and independent wheel brakes operating on			1	g	9 Steerin
articulated for maximum safety and stability on slopes. Change from four (4) wheel steer to two (2) wheel steer "on the fly" electro-hydraulically with automatic sensing and synchronization of the wheel positions.  9.2 Turning radius with four (4) wheel steer: 9'6"  9.3 Handbrake and independent wheel brakes operating on					
Change from four (4) wheel steer to two (2) wheel steer "on the fly" electro-hydraulically with automatic sensing and synchronization of the wheel positions.  9.2 Turning radius with four (4) wheel steer: 9'6"  9.3 Handbrake and independent wheel brakes operating on					J.1
"on the fly" electro-hydraulically with automatic sensing and synchronization of the wheel positions.  9.2 Turning radius with four (4) wheel steer: 9'6"  9.3 Handbrake and independent wheel brakes operating on					
sensing and synchronization of the wheel positions.   9.2   Turning radius with four (4) wheel steer: 9'6"		:			
9.2 Turning radius with four (4) wheel steer: 9'6" 9.3 Handbrake and independent wheel brakes operating on	*		The grand was a fire	· · · · · · · · · · · · · · · · · · ·	
9.3 Handbrake and independent wheel brakes operating on					9.2
		· ·	*** *** ****		
rear wheels for maximum safety and control.			[ <u>.</u> ].		J.J
10. Brakes					10 Rroba
10.1 Turning radius with four (4) wheel steer: 9'6"			i T		Anna Chaire and a season for an article and the
· · · · · · · · · · · · · · · · · · ·					
				Additional hydrostatic driving brake.	
11. Tires				T	the contract of the contract o
11.1 Low pressure Terra tires 31 x 15.50-15 /6 ply.				Low pressure Terra tires 31 x 15.50-15 /6 ply.	11.1

10.2	Additional hydrostatic driving brake.		l	·	1
11. Tires					
11.1	Low pressure Terra tires 31 x 15.50-15 /6 ply.				
FIRM NAM	Œ	SIGNATUI	RE		
	Page 10 of 32				

### GROUP II – 48 INCH REMOTE CONTROL SLOPE MOWER

# 3.17 <u>MINIMUM SPECIFICATIONS</u>

Item Number	Group II – 48 INCH REMOTE CONTROL SLOPE  MOWER  Description	Compliance	Exception
1. Engine	The second secon		
1.1	Engine shall be 23 horsepower, @ 3600 RPM, air cooled gasoline engine.	Control section 2 - Land Control section 2 - L	The state of the s
1.2	Shall be equipped with multi-stage centrifugal replacement air cleaner element.		
1.3	Should have electric start system.		
2. Transm	<u> </u>	I	
2.1	Shall be hydrostatic drive.		
2.2	Speed: 0 to 5 mph minimum.	A Maria Cara Cara Cara Cara Cara Cara Cara	
3. Cutting	Dimensions		
3.1	Width of cut 48 inches + or – (1) inch.		
3.2	Height of cut 2" to 5" inches adjustable.		
3.3	Must be capable of cutting 40 degrees slopes while traversing and turning.	uk Nezer Affent ungen eine	:
3.4	Cutter engagement clutch shall be an electromagnetic Type.		
4. Steerin			
4.1	Radio controlled	The state of the s	
4.2	Unit shall be capable of turning 360 degrees, four (4) wheel.		
5. Brakes			
5.1	Brakes to be actuated simultaneously thru an		
6E 121	independent hydrostatic system.		
	draulie Capacity		
6.1	Fuel Tank 4.1 gallons.		
	Hydraulic oil 2.4 gallons.		
Swinger Str. male desired and additional and	Dimensions 64.6" x 56.3" x 36.2"	I contact of the second	1012
7.1 8. Blades	04.0° X 30.3° X 30.2°		
Street programme techniques and its reprincipant	Four (4) heavy duty blades 11 V (1919)	A BUARANA	I
8.1 9. Unit W	1 our (4) neavy duty blades.		
9.1	715 pounds minimum.		
10. Wheel			
10.1	Shall have four (4) wheel drive 16x6.50-8 tractor tread		
	tires.		

3.1	Width of cut 48 inches $+$ or $-(1)$ inch.			1
3.2	Height of cut 2" to 5" inches adjustable.			
3.3	Must be capable of cutting 40 degrees slopes while	un Nest Affendage (Feb.	:	]
	traversing and turning.		:	
3.4	Cutter engagement clutch shall be an electromagnetic		1-1-1-1-1	
	Type.			
4. Steerin	${f g}$			
4.1	Radio controlled	i institut		
4.2	Unit shall be capable of turning 360 degrees, four (4)	11		-
	wheel.			
5. Brakes				
5.1	Brakes to be actuated simultaneously thru an			-
	independent hydrostatic system.	778 898 1000 1800 1800		
	draulic Capacity			
5.1	Fuel Tank 4.1 gallons.			]
5.2	Hydraulic oil 2.4 gallons.			]
7 Frame I	Dimensions			2 WC 2000 A.C.
7.1	64.6" x 56.3" x 36.2"		1014.	]
8. Blades				The Cale and
3.1	Four (4) heavy duty blades.	83 (Bollagula), panavi		]
).Unit W	/eight			00-ce 9 60rc
9.1	715 pounds minimum.		1.5	]
10. Wheel				
10.1	Shall have four (4) wheel drive 16x6.50-8 tractor tread			]
	tires.			] .
				_
	<ul> <li>A Service Constitution of the Con</li></ul>			
÷				
	nto proportion of the second o			

### GROUP III – 21 INCH COMMERCIAL ROTARY MOWER

# 3.18 <u>MINIMUM SPECIFICATIONS</u>

Item Number	Group III – 21 INCH COMMERCIAL ROTARY  MOWER  Description	Compliance	Exception
1. Engine			
1.1	Shall have 4.5 horsepower minimum, two (2) cycle		
	single cylinder 12.6 cubic in. or 207 c.c.	* 1 .	÷
1.2	Shall have electronic ignition-life time warranty.		
1.3	Shall have pull recoil starter.		
1.4	Shall have a two (2) - stage air cleaner.		
1.5	Shall have carburetor primer.		
1.6	Shall use unleaded regular gasoline oil mix fuel.		
1.7	Fuel capacity shall be four (4) quarts minimum.		
1.8	Engine shall meet or exceed (CARB) regulations.		
2. Contro	ls		
2.1	Shall have heavy-duty tubular steel arc welded handle	/	
	into one (1) piece.	na हिंदुर सहक्ष्यकार अन्तर्ग	
2.2	All cables and control knobs shall be located on the		
	handle near operator.	A. A. Say and J. M.	
2.3	Shall have a high quality mechanical carbon steel 21".		
3. Mower	Body		
3.1	Shall have four (4) wheels steel ball bearing type.		
3.2	Shall have 21" width cut.		
3.3	Tires shall be 8x2.00 radial style and made of heavy-		
	duty rubber compound.		
3.4	Cutting height shall be adjustable 1 to 3 ½ inch.	:	
3.5	Weight 72 pounds minimum.		
4. Frame			
4.1	Frame shall be constructed of 14-gauge steel reinforced		
	to form an one piece rugged unit.		' : :
4.2	Shall have 14-gauge steel cutting shield.		
4.3	Bearing housing shall be constructed of extra heavy 2"		
	tubular steel arc-welded into frame.	ang pangangangan Managangan	
4.4	Warranty shall be two (2) years minimum.		i
5. Dimen			
5.1	L 33" x W 22 ½ x 16 1/2 w/o handle.	The state of the s	

FIRM NAME	<u> </u>	SIGNATURE	

# GROUP IV – 22 INCH COMMERCIAL ROTARY MOWER

# 3.19 <u>MINIMUM SPECIFICATIONS</u>

Item Number  1. Engine	<b>Description</b> Researched	Compliance	Exception
1.1	Five (5) horsepower minimum, four (4) cycle single		
1.1	11 1 70 1 1 10 11 110 111 111 1111 1111		( )
	shaft.	The street of th	
1.2	Electronic ignition - Life Time Warranty.	· ·	
1.3	Engine to be industrial commercial.		
1.4	Shall have bottom or top oil drain with exterior oil fill		:
***	with dipstick.		
1.5	Oil capacity shall be 20 ounces minimum.		
1.6	Shall use unleaded regular gasoline.		
1.7	Engine shall meet or exceed (CARB) regulations.		
2. Contro	$\mathrm{ls}$ where the approximation of the contract $ au$	organical and a second	
2.1	Throttle control shall be the remote type located on		
	upper handle.		ш
2.2	Shall have a vari-mulch system to control the rate		
	which clippings are returned to the lawn.	mga forma i sejele i i	
3. Mower			
3.1	Deck shall be high strength steel or reinforced		
	aluminum magnesium alloy.		
3.2	Shall have a spring loaded idler for constant belt		
	tension.		
3.3	Shall have a drive belt for blade, Kevlar reinforced "A"	1.00	
	Section which protects the engine crankshaft.		
3.4	Shall have 22 inch width of cut.		
3.5	Rear tires shall be 16" diameter pneumatic type with	eprocessing here.	tot i
	molded rims.		
3.6	Front tires shall have steel ball bearing pneumatic type.		
3.7	Unit shall be self-propelled with traction drive clutch	HAT THEY BUILDING	AL CONTROL OF THE PARTY OF THE
2.0	with chain drive to rear wheels.		
3.8	Weight 94 pounds minimum.	7	
3.9	Gas tank 4.0 quart minimum.		
3.10	Shall have traction control handle, folding handle with		
2 1 1	foam grip.		
3.11	Shall have a single knob cutting height adjustment		
2 12	system with an infinite range between 1" and 3-1/2"		
3.12	Engine and deck shall have a minimum two (2) years		
L	warranty.		

3.12	Engine and deck shall have a minimum two (2 warranty.	) years			
FIRM NAM	MEPage 13 of 32	SIGNATUR	RE	·	

### GROUP V – 24 INCH COMMERCIAL ROTARY MOWER

#### 3.20 **MINIMUM SPECIFICATIONS**

MOWER  Description	Compliance	Exception
		italist.
recoil starting.		er fig.
Shall be industrial type, with two (2) years warranty on		
deck and engine.	et, 1 .	
Shall have electronic ignition with lifetime warranty.		
Engine shall meet or exceed (CARB) regulations.	m ,	
g Width		
24 inch er eine eine eine eine eine eine eine e	41 april	
Height		
1 inch to 3-1/2 inches the property and the many the Alexander and the second of the s	a na herenalistei	: :-
s and Tires		
Rear wheels 20 inch, heavy-duty bicycle type.		
ont Tires	e de la companya di La	
Disc type with 6 inch x 1.66 inch semi-pneumatic.	-	
		drafte for an electronic returns
Friction to rear tires, through sealed worm and gear.	mara and a second	- <u> </u>
	111 11 = 1	
Unit shall be self-propelled.		
Reatures		
Ball bearings belt driven spindle.		
	*** ** *C	
operator.	Tarakany, minera	
Net weight 150 pounds minimum.		
	Pive (5) horse power, four (4) cycle minimum with recoil starting.  Shall be industrial type, with two (2) years warranty on deck and engine.  Shall have electronic ignition with lifetime warranty.  Engine shall meet or exceed (CARB) regulations.  Width  24 inch  Height  1 inch to 3-1/2 inches  and Tires  Rear wheels 20 inch, heavy-duty bicycle type.  ont Tires  Disc type with 6 inch x 1.66 inch semi-pneumatic.  Friction to rear tires, through sealed worm and gear.  Transmission with easy turn differential action.  Unit shall be self-propelled.  Geatures  Ball bearings belt driven spindle.  Low gear speed: 1.9 MPH  High gear speed: 2.7 MPH  Adjustable handles with all controls at fingertip of	Description  Five (5) horse power, four (4) cycle minimum with recoil starting.  Shall be industrial type, with two (2) years warranty on deck and engine.  Shall have electronic ignition with lifetime warranty.  Engine shall meet or exceed (CARB) regulations.  Width  24 inch  Height  1 inch to 3-1/2 inches  and Tires  Rear wheels 20 inch, heavy-duty bicycle type.  ont Tires  Disc type with 6 inch x 1.66 inch semi-pneumatic.  Friction to rear tires, through sealed worm and gear.  Transmission with easy turn differential action.  Unit shall be self-propelled.  Ceatures  Ball bearings belt driven spindle.  Low gear speed: 1.9 MPH  High gear speed: 2.7 MPH  Adjustable handles with all controls at fingertip of operator.

# GROUP VI - 30 INCH COMMERCIAL ROTARY MOWER

#### MINIMUM SPECIFICATIONS 3.21

_			
Item Number	Group VI – 30 INCH COMMERCIAL ROTARY  MOWER  Description	Compliance	Exception
1. Engine			
1.1	Shall have nine (9) horse power, four (4) cycle minimum with recoil starting.		
1.2	Shall be industrial type with two (2) year warranty for deck and engine.		

	minimum with recon bearing.			1
1.2	Shall be industrial type with two (2) year warranty	for	 -	].
	deck and engine.			
FIRM NA	MESIGI	NATURE	 	

Item Number	Group VI – 30 INCH COMMERCIAL ROTARY  MOWER  Description	Compliance	Exception
1.3	Electronic ignition shall be lifetime warranty.		
1.4	Engine shall meet or exceed (CARB) regulations.		
2. Cutting	g Width		
2.1	30 inches		
3. Cutting	g Height		
3.1	1-1/2 inch to $3-1/2$ inches in four (4) settings.	to the type of the	1 1 m
4. Wheels	s and Tires	The respective to	
4.1	Rear wheels shall be spoke wheel with replaceable		
	bearings, tires 20" x 2.125" pneumatic with knobby tread.		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
5. Two F	The state of the s		ing and the second
5.1	Disc type with seven (7) inch by 1.75 inch semi-		April 1999
	pneumatic tires with lockable swivel wheels with powdered metal bearings.	<u> </u>	
6. Drive			
6.1	Shall have belt and chain drive.		
6.2	Transmission with easy turn differential action. Unit shall be self-propelled.	, see on the see	
6.3	Unit shall be self-propelled.		
6.4	Control shall be on handle and shall have three (3) sizes	A SULPHY OF THE SECOND	THE AND IN S
	of steel spline drivers for ground speed preference.		
7. Other 1		T	I
7.1	Ball bearings belt driven spindle		
7.2	Low gear speed: 1.9 MPH		
7.3	High gear speed: 2.7 MPH		
7.4	Adjustable handles with all controls at fingertip of		
	operator.		
24/46400 May 20,400 V. 2390 WC 2340	ne Weight	I	
8.1	Net weight 250 pounds minimum		

# GROUP VII – 32-INCH RIDING MOWER

# 3.22 MINIMUM SPECIFICATIONS

Item Number	Group VII – 32 INCH RIDING MOWER  Description	Compliance	Exception
1. Engine			
1.1	Shall have 13 horse power minimum, four (4) cycle with recoil starting.		
1.2	Engine and deck shall come with a two (2) -years warranty.		
1.3	Dual Element Air Cleaner.		
1.4	Engine shall meet or exceed (CARB) regulations.	- 1 - 2 - 1 1 2 12 -	
2. Cutting	g Dimensions	e en en en en en en en en	

"在中的美国主旨的相应的数据大学,要的现在较高,我们可能可

	···		
FIRM NAME	·	SIGNATURE	

Item Number	Group VII – 32 INCH RIDING MOWER  Description	Compliance	Exception	
2.1	32 inch cutting height, 1½ inch to five (5) inch by raising cutter blade shaft.			
3. Frame				
3.1	Ten (10) gauge steel construction minimum frame and seven (7) gauge steel side skirts.	2 A 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		
4. Power	Drive			
4.1	Fully enclosed heavy duty gearing through level gear differential final drive to traction wheels belt pulley.			ren il
4.2	One (1) reverse gear shall be included in drive assembly.			
4.3	Five (5) speeds lever for forward and one (1) for reverse.			
5. Contro	m ls			
5.1	One (1) control lever for engine throttle, cutter blades.		·	
5.2	Automatic shut-off safety switch.			
6. Tires		placetae de Albertalia de la	COLUMN COLUMN CONTRACTOR	
6.1	Drive wheels on rear shall be equipped with, 13x5-6, 4 ply turf tires with studded traction tread.	dentin sattopyn.	· · · · · · ·	
6.2	Grade ability: 15 degrees with sulky 30 degrees minimum with dual wheels.	managa ama		
7. Fuel T				T. C.
7.1	5.0 gallon minimum.	on organization and one		]
8. Handles				Fileston
8.1	Reinforced tubular steel, one (1) inch diameter.			
9. Weigh	A PROCESSAN CONTROL OF THE PROCESSAN CONTROL O			
9.1	Net weight of machine 370 pounds minimum.	14.		}

# GROUP VIII = 36 INCH HYDRO WALK BEHIND MOWER

# 3.23 MINIMUM SPECIFICATIONS

Item Number	Group VIII – 36 INCH HYDRO WALK BEHIND  MOWER  Description	Compliance	Exception
1. Engin			
1.1	Engine shall have 15 horse power minimum, four (4)		
	cycle with recoil starting.		in Gerger of these
1.2	Oil capacity to be five (5) pints minimum.		
1.3	Air cleaner, high efficiency dry type.		
1.4	Electronic Ignition with lifetime warranty.	. 53	
1.5	Crankshaft to be counter balanced heat-treated drop		
	forged.		
1.6	Governor to be built in mechanical type.	. =	
1.7	Carburetor to be horizontal feed type.	a and a second a seco	

•			
FIRM NAME	· · ·	SIGNATURE	
	Page 16 of 32		

Item	Group VIII – 36 INCH HYDRO WALK BEHIND			l
Number	MOWER PROPERTY	Compliance	Exception	l
	Description			
1.8	Engine shall meet or exceed (CARB) regulations.			l
2. Fuel Ta	ank			
2.1	4.5 gallon minimum capacity.		(1) 1 T 1	-
3. Electri	cal System			
3.1	Shall have safety interlocks for all blade clutches;			Ī.,
	brakes, clutch transmission, and parking.			
4. Drive S				
4.1	Drive tires shall be minimum 16 x 6.50-8 turf.			
4.2	Shall have thumb control for speed and direction			ĺ
	on handle.			ĺ
5. Transn	nission	a de placier (h. 1. avida) s		
5.1	Shall have single infinitely variable hydrostatic drive			_
	transmission.	nag sama and	<u>. 45</u>	
6. Clutch	es and the second of the secon			
6.1	Tractor-clutch roller V-belt engagement with pull		Programme Company (Company Company Com	
1	switch blade engage with safety interlock switch.	uza Esplata de la ceta.	A NAME OF THE PARTY OF THE PART	
7. Brake				
7.1	Shall have fingertip dual disc type brake acting through			
	differential with safety interlock switch and parking			
	brake.			-
8. Cutter	Bar Spindle			
8.1	3/4 inch diameter spindle shaft with adjustable tapered	Landa de la companya		=
	roller spindle bearings equipped with zerk grease	· = · ·		
	fittings.			
9. Deck N	Material			
9.1	Ten (10) gauge reinforced steel decking and 1/4 inch			
	steel blade guard with mulching type grass disposable		<b>"妈妈我就要我看了,你不是这一一</b>	:
9.1	system, having no discharge path for grass or other			
	objects horizontal.			
9.2	Heavy duty skid plate.			
10. Axle	Bearings			
10.1	Standard industrial, self-aligning, sealed pillow locks		- Roman (1997)	١.
	with zerk grease fittings.			
11. Steer	The state of the s			2.0
11.1	Turning radius: true 0 turn radius w/o sulky.		• •	
12. Dime	nsions			NAVE CO.
12.1	Height 42 inches minimum.	State of Sta		
12.2	Width 36 inches minimum.			
	THE SECOND SECTION OF THE SECOND SECO	4 4		

			l 4 - 4
TOYOUR A NEW AREA	CICNIATUDE		
FIRM NAME _	 Page 17 of 32	<del>"</del>	

# GROUP IX – 52 INCH RIDING ROTARY MOWER

#### MINIMUM SPECIFICATIONS – 52 INCH RIDING ROTARY MOWER 3.24

Item Number	L. L	Compliance	Exception
1. Engine			
1.1	Engine shall be 25 horsepower minimum with electric start.		
1.2	Shall have oil gauge and ammeter.		**
1.3	Engine shall meet or exceed (CARB) regulations.		
2. Drive			
2.1	Shall be hydrostatic.		
	g Dimensions		
3.1	Width of cut 52 inches.		
3.2	Height of cut 1.5 to 6 inches.		-
3.3	Shall have 0 turning radius.		
4. Steerin	<u> </u>		
4.1	Shall have joystick control or twin lever control.		
5. Brakes	THE STATE OF THE S		
5.1	Shall have parking as well as independent wheel		
	brakes. The American American American Services	Estat Association (Con-	1
5.2	Brakes to be hydrostatic through transmission.		
6. Electri		l i	
6.1	Shall be 12 volt system.	11. 11. 11. 11. 11. 11. 11. 11. 11. 11.	
6.2	Shall have electric starter.		
6.3 7. Transn	Shall have hour meter.		
7.1			
8. Seats	Shall have dual hydrostatic mower drive.		
8.1	Shall have operator safety switch with restraining arms.		
8.2	Must have seat belt.	j. d	
9. Frame	Triust nave seat bett.		
9.1	Cutting deck shall be ten (10) gauge steel.		
9.2	Detachable Roll Bar.		
10. Blade			
10.1	Three (3) blades, extra heavy-duty side discharge high		
	lift blades.		
11. Unit	Weight		
11.1	1000 pounds minimum		
12. Whee			
12.1	Shall have special drive wheels turf track tubeless tires 23 x 9.5-12.		A CONTRACTOR OF THE CONTRACTOR
12.2	Mower to be equipped with freewheeling device that releases the hydraulic lock for towing.		
12.3	Shall have two (2) years commercial limited warranty minimum.		

12.2	Mower to be equipped with freewheeling devireleases the hydraulic lock for towing.	ice that
12.3	Shall have two (2) years commercial limited v	warranty
	minimum.	
FIRM NAM	Page 18 of 32	SIGNATURE

# GROUP X – 16 FEET TRACTOR MOWER WITH ROAD PACKAGE KIT, ROLL BAR AND CANOPY

# 3.25 <u>MINIMUM SPECIFICATIONS</u> – 16 FEET TRACTOR MOWER WITH ROAD PACKAGE KIT, ROLL BAR AND CANOPY

Item Number	Group X – 16 FEET TRACTOR MOWER WITH ROAD PACKAGE KIT, ROLL BAR AND CANOPY Description	Compliance	Exception
1. Engine			100 (M) (100 m)
1.1	Shall be four (4) cylinder diesel water cooled with minimum of 78 horsepower.		
1.2	Fuel capacity 25 gallons minimum.		
2. Transm		Propins Sun Grave	
2.1	Shall be Sunstrand series 33 hydrostatic servo controlled with integral acceleration control or equal.		
2.2	Shall have forward and reverse.		
3. Tires		n firmer to de la Cey	
3.1	Two (2) rear steering tires 23 x 10.50 - 12; six (6) ply tube-less turf tire. Two (2) front drive tires 31 x 12.50-12; eight (8) ply high flotation with turf tires with tubes.		
4. Frame			
4.1	5" x 9 lbs. /ft. welded structural steel channel frame.	***	
5. ROPS			
5.1	Shall be standard equipment all welded.		<u> </u>
6. Brakes			
6.1	Shall be two (2) Bendix 2' x 12' inches hydraulic drum/shoe service and parking brakes or equal.  Dynamic braking through drums.		
7. Steerin	Q. The state of th		
		T	
7.1 8. Seat	Shall be fully hydraulic power.		
8.1	Full cushion adjustable suspension with adjustable height of five (5) inches front to back seat belts and seat safety interlock switch.		
9. Gauges		Propries Contract	
9.1	Shall have tachometer, hour meter, engine water—temperature, fuel level, hydraulic fluid temperature, engine oil pressure warning light and, hydraulic fluid temperature warning light. All gauges fully illuminated.		
10. Electr	ical		

	•	
FIRM NAME		SIGNATURE

Item Number	Group X – 16 FEET TRACTOR MOWER WITH ROAD PACKAGE KIT, ROLL BAR AND CANOPY Description	Compliance	Exception
10.1	Twelve (12) volts automotive type electrical system; shall have 35 amp alternator minimum.		
10.2	Shall have dash mounted ignition switch, sealed beam headlights, tail light, and amber flashing hazard lights	<u> </u>	in the second of
11. Contr	ols		
11.1	Shall have hand operated throttle attachment, safety locks, three (3) independent PTO controls, also a foot operated ground speed, direction control brakes and hand operated parking brakes.		
11.2	Shall have automatic shut off control on the side PTO when raised above 30 degrees.		
11.3	Shall have independent automatic pressure relief controls on each hydraulic circuit.		
12. Attac	hment Drive		
12.1	Shall have three (3) independent hydraulic PTO circuits, each capable of 20 GPM at 2400 RPM with 2000 PSI.		
12.2	Shall have three (3) wing unit individual mowing decks, one (1) on left side, one (1) in front and one (1) on right side of tractor.		

### GROUP XII – 11 FEET TRACTOR MOWER WITH ROAD PACKAGE KIT, ROLL BAR AND CANOPY

### 3.27 <u>MINIMUM SPECIFICATIONS</u> – 11 FEET TRACTOR MOWER WITH ROAD PACKAGE KIT, ROLL BAR AND CANOPY

Item Number	GROUP XII – 11 FEET TRACTOR MOWER WITH ROAD PACKAGE KIT, ROLL BAR AND CANOPY Description	Compliance	Exception	] ;
1. Engine				Section
1.1	Shall be four (4) cylinder liquid cooled diesel		Lest of the second second	
	with a minimum of 60 horsepower		· · · · · · · · · · · · · · · · · · ·	
1.2	Oil capacity minimum of eight (8) quarts			
1.3	19 gallon fuel tank	and the just on	·	
2. Transn	nission			NAME OF THE PARTY.
2.1	Fully hydrostatic with four (4) wheel drive transmission			
2.2	Ground speed 0-15 mph forward and 0-9 reverse			] ::
	transport speed, mower 0-8 forward and 0-4 reverse.			

FIRM NAME SIGNATUREPage 20 of 32	

Item Number	GROUP XII – 11 FEET TRACTOR MOWER WITH ROAD PACKAGE KIT, ROLL BAR AND CANOPY	Compliance	Exception
	Description		
a m'			
3. Tires	T (0)		
3.1	Two (2) rear steering tires 20x10-10, six (6) ply tubeless tires. Two (2) front drive tires 26x12-12, six (6) ply tubeless multi-trac tires		
4. Brakes			
4.1	Mechanically actuated and, internal wet disc brake		-
5. Steerin	9	and to the property of	
5.1	Tilt steering with four (4) wheel drive, individual deck lift-lower levers		
6. Gauges			
6.1	Hour meter		
6.2	Fuel gauge		
6.3	Temperature gauge		
6.4	Oil pressure gauge		
6.5	Alternator and glow plug gauge		and the second s
6.6	High coolant temperature gauge		r to the same
7. Electri			
7.1	12 volts automotive type electrical system with a		
	minimum 650 CCA		
7.2	40 amp alternator with overload protection fuse — ——	-:	- Landerson - Land
7.3	Automatic engine shut-down if operator leave seat with	181 <u>18</u> 1 84 <del>1</del> 89 1	
	blades engaged		
7.4	Engine shut-down if parking brake engaged and		
	traction pedal not in neutral.		
8. Contro		Establish (parallel span	
8.1	Ignition switch, tilt steering, throttle and foot		
		orace rapidle c	
2012-10-10-10-10-10-10-10-10-10-10-10-10-10-	g Dimensions		
9.1	Width: Minimum 135" with decks down		·
9.2		gang to show w	mile i
9.3	Height of cut shall be 1" - 5" in5 increments		

#### GROUP XII - TOWED FLEX-WING ROTARY MOWER

### 3.27 <u>MINIMUM SPECIFICATIONS</u> – TOWED FLEX-WING ROTARY MOWER

Item	GROUP XII- TOWED FLEX-WING ROTARY	Exception	
Number	MOWER		
	Description		
I. General			
1.1	This unit shall be a flex-wing rotary mower		

FIRM NAME	SIGNATURE _	

Item Number	GROUP XII– TOWED FLEX-WING ROTARY MOWER Description	Compliance	Exception
	attachment towed by a tractor.		
1.2	This unit shall have a minimum cutting width of		
1.3	15ft.  This unit shall have two (2) flex-wings and a fixed center cutting deck.	TOO SERVICE CO.	4 . 1
2. Gear			
2.1	The diver gearbox shall be rated at a minimum of 203 HP.		
2.2	The cutting gear boxes shall be rated at a minimum of 200 HP.	ration of open	with the second
3. Drive Lin	es		400 000
3.1	The main drive line shall be rated at a minimum of an ASAE Cat 5		
3.2	The wing drive lines shall be rated at a minimum of an ASAE Cat 4		
4. Cutting D			
4.1	The cutting deck shall be constructed of a minimum of seven (7) gauge steel.		
4.2	Maximum Transport width shall be less than 100".		
4.3	Both outside wings shall be hydraulically controlled.		
5. Tires/Axl			
5.1	All tires on this unit shall be replaceable and puncture resistant.		
5.2	All axle positions on this unit shall be spring- cushioned.	elegish till til	
6. Performai	nce		
6.1	This unit shall have an adjustable cutting height from 2" to 14".	1	
6.2	This unit shall have a minimum blade tip speed of 16,000 feet per minute (FPM).		
6.3	This unit shall be capable of cutting vegetation up to (3 ½") in diameter minimum.		

#### GROUP XIII -60 INCH HEAVY DUTY RIDING MID-MOUNT MOWER

#### 3.28 MINIMUM SPECIFICATIONS – 60 INCH HEAVY DUTY RIDING MID-MOUNT MOWER

Item Number	Group XIII – 60 INCH HEAVY DUTY RIDING MID-MOUNT MOWER Description	Compliance	Exception			
1. Engine						
1.1	Engine shall be 27 HP minimum vertical crankshaft,					

	•	
FIRM NAME	 SIGNATURE _	

	four (4) cycle air cooled			
Item	Group XIII – 60 INCH HEAVY DUTY RIDING			
Number	MID-MOUNT MOWER	Compliance	Exception	
	Description		_	
1.2	Shall have an electronic ignition system.			
1.3	Heavy duty canister style air filter			
1.4	Shall have fly wheel fan		-	
1.5	Engine shall meet or exceed (CARB) regulations			
2. Drive				
2.1	Shall be hydrostatic with twin hydro gear variable		Maria Cara de	
	pumps. One (1) pump and one (1) direct-drive wheel		- n.	
One freezione charmente solitari in accesso autien	motor per drive tire.		,··	
	Dimensions	esperatore de la co		
3.1	Width of cut 60" inches minimum			
3.2	Height of cut 1½ to 6 inches in ½ increment	:		
3.3	Shall have zero (0) turning radius			:
KANSINININAATINININININININININININININININI	Cutting heights shall be foot operated adjustment			
<ol><li>Steering</li></ol>				:
4.1	Twin-lever steering to provide independent control for —	7,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1,1		
of an Alexander and Alexander	each drive wheel	teritoria de la composición del composición de la composición de l		
5. Brakes				
5.1	Brakes to be independent dynamic braking through	tit die die 1t de 1		
	hydrostatic transmission			
5.2	Parking brake shall be disc type			
<ol><li>Electrica</li></ol>				
6.1	Shall be 12 volt system.			
6.2	Shall have electric starter.			
6.3	Digital hour meter			·
7. Transmi			i i i i i i i i i i i i i i i i i i i	
7.1	Shall have dual hydrostatic mower drive.	e e a de la companya		
7.2	Ground speed shall be up to 10-mph forward and 5 mph			
	reverse with infinity variable	Tays Course of		
7.3	Shall have V-belt drive from engine crankshaft to		·	
	hydraulic system			
7.4	Three (3) quarts of fully synthetic hydraulic fluid system			
o .	with oil cooler			
8. Seats		l e	I	e. Africa
8.1	Shall have high back custom designed padded type with			
0.0	molded vinyl		1- 2-2 1 2	Application of the second
8.2	Shall have operator safety switch with restraining arms	4 TANAMA E TAMEN		
O	Mower must have seat belt	]		
9. Frame				
9.1	Cutting deck shall be welded with ten (10) gauge steel	-		
0.2	welded tubing minimum			
9.2	Unit dry weight 1,090 lbs minimum without fuel			
9.3	Deck must have six (6) adjustable anti scalpel rollers			

FIRM NAME		SIGNATURE	
	Page 23 of 32		

9.4	Foldable 90 degree ROPS system		
10. Blades			
10.1	Shall have three (3) mulching type blades		
10.2	Shall have V-belts to all spindles with spring tension		
	idler pulleys		-
10.3	Shall have tapered roller bearing spindles		
11. Fuel			
11.1	Shall have replaceable automotive type fuel filter	a verent suf	
11.2	Shall have fuel capacity 11-gallons minimum with		
	twin fuel tanks and cup holder	1. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Tem of the month of authority
12. Wheels			and other sector is
12.1	Shall have special drive wheels turf track tubeless tires		
	23 x 9.5-12.		
12.2	Mower shall be equipped with freewheeling device that		
	release the hydraulic lock for towing.		
12.3	Shall have two (2) years commercial limited warranty		:
	minimum. Description for the first out of the	4	

#### GROUP XIV - 72 INCH RIDING SLOPE ROTARY

3.29 MINIMUM SPECIFICATIONS – 72 INCH RIDING SLOPE ROTARY

Item Number	Group XIV – 72 INCH RIDING SLOPE ROTARY  MOWER  Description	Compliance	Exception
1. Engine			
1.1	Engine shall be a minimum 38 horsepower, diesel cast iron water cooled		· ··· · · · · · · · · · · · · · · · ·
1.2	Engine shall be equipped with multi-stage centrifugal replacement air cleaner element		···
1.3	Engine shall meet or exceed (CARB) regulations	i.,	
2. Drive			
2.1	Shall be hydrostatic.		
3. Cutting D	imensions		
3.1	Width of cut 72 inches.		
3.2	Height of cut 1 1/2 to 6 1/2" inches adjustable		1,144
3.3	Must be capable of cutting 40 degrees slopes while		
	traversing and turning	re to accept the control of the cont	
3.4	Cutter engagement clutch shall be an electromagnetic		1
	clutch		
4. Steering			
4.1	Each hydrostatic drive shall be as independently		
	controlled with hand levers		
4.2	Shall be capable of turning zero (0) degrees		
5. Brakes		bareleka.	
5.1	Shall have parking brakes as well as independent wheel		
	brakes.	1 1 1 1 1	

	•		
FIRM NAME		SIGNATURE	
	Page 24 of 32		

5.2	Brakes to be actuated simultaneously thru an			
	independent hydrostatic system	# 10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		
6. Electrical				
6.1	Shall be 12 volt system.			
6.2	Shall have lights			1
6.3	Shall have electric starter.			1
6.4	Amp meter			
6.5	Hour meter.	tradition of the same		]
6.6	Shall have electric start	www.complet	. :	
6.7	Electrical safety switch attached to operator seat			
7. Transmiss	sion			
7.1	Shall have electric clutch system			
8. Seats				
8.1	Seat shall have an operator safety switch and tilt with	nimber ik var	Notation 1	
	restraining arms			
8.2	Seat shall have a retracting seat belt and shock absorbing	1999 - 1994 - 1994 - 1997 - 19	- -	
	seat , et l'accessance.			
9. Frame				
9.1	Ark welded one (1) piece ¼ inch steel top plate	4 5 5 Q 24 3 5 4 4 3 M	, back	
9.2	Detachable Roll Bar and rotary beacon light			
10. Blades				
10.1	Three (3) medium lift blades, extra heavy duty side	at an at a construction of	1000 M	
	discharge type, mounted on ground alloy steel shafts			
11. Unit We				
11.1	3,100 lbs. minimum			
12. Wheels				Permi
12.1	Shall have special drive steel wheels with 26 x 12.00 x			
	12,4 ply tractor tread tires	20 Mar 1 1		
12.2	Deck shall have two (2) front mounted caster type 19" x			
	6" solid segment tires is the second of the	Lance Park Server		
12.3	Mower shall be equipped with freewheeling device that			-
	releases the hydraulic lock for towing			<u> </u>

#### 3.30 MINIMUM SPECIFICATIONS-GENERAL

Item	ALL GROUPS	Compliance	Exception
Number	Description ,		1
. L. Warranti	y		
1.1	Manufacturer's standard warranty or warranty for a		
	minimum of 24 months or 2,000 hours, whichever is		<u> </u>
	greater.	70	
1.2	Vendor to provide information associated with an		
	extended warranty to include terms and conditions and	Table 1 to 1	·
	pricing.		
1.3	Provide copies of standard warranty for assembled and	v Athir Land 1	v=
	delivered unit(s).		

	•					
FIRM NAME				SIGNATURE		
		Pa	ge <b>25</b> of <b>32</b>			

Item Number	ALL GROUPS  Description	Compliance	Exception	
				empeli e e e e e e e e e e e e e e e e e e
1.4	Provide forms for delayed warranty start if unit(s) delivery to City is delayed due to up fit of special equipment or modification			
1.5	Provide copies of standard and extended warranty for systems and components as provided by individual suppliers.		· · · · · · · · · · · · · · · · · · ·	
2. Deliver			I.	1.11 . 12
2.1	Units shall be delivered complete, fully serviced,			
	inspected for safety and safe operation, and ready to	24.00		
2.1	perform the work for which they are being purchased, with no less than a 1/8 tank of fuel.			
2.2	Units shall be serviced, inspected, and delivered from the successful bidder's nearest service facility. Factory direct deliveries are not acceptable.	arzi shakicuta.	# 1	
2.3	Delivery Location: Office of Fleet Services		in a lateral	
2.3	Technical Services Building 23 Claire Drive, S.E. Atlanta, GA 30315			
2.4	Contact Information: Office of Fleet Services, Fleet Asset Manager at (404) 622-7681 ext. 129 to schedule delivery date and time			
3. Docume				
3.1	Provide manufacturer's certificate of origin for each unit if applicable			
3.2	Provide one (1) operator's manual per unit			1 .
3.3	Provide two (2) sets of service manuals, illustrated parts breakdown, wiring schematics and wiring diagrams per lot of units ordered.	renewak, mpo rikan dika-	James Audit	
3.4	Provide one (1) "build sheet" per unit listing all parts used in assembling each unit(s), (if available).		_	
3.5	Provide list of filters and other wear items, by type and part number per unit typically carried to ensure timely repair and return to service.			
4. Decals,	Badges, Advertisements			<u> </u>
4.1	No dealer emblems, decals, or any other forms of advertisement or identification shall be attached to the unit			
5. Training				
5.1	The successful bidder shall provide a minimum of eight (8) hours of training to selected number of City of	1 11.2	:	
	Atlanta technicians covering each major component, electrical systems, and diagnostics. This training shall be	um geräussävändu (2007).	di .	<u> </u>

	(8) hours of training to selected number of C Atlanta technicians covering each major com	ponent,	um verskeuskings (z. m.).	: : :	
	electrical systems, and diagnostics. This trair	ung snan be		İ	ł
FIRM NAME	Page <b>26</b> of <b>32</b>	SIGNATURE			-

Item	ALL GROUPS	Compliance	Exception
Number	Description (1444 a 4444 from		
	provided by an OEM factory representative, at their designated training facility, and at the successful bidder's expense.		
6. Diagnos	itics		
6.1	Supply two (2) sets of diagnostic software and associated interface cables kit for unit(s) bid, (if applicable).	rw garta a galas t	·
6.2	Supply any other component needed to communicate between the equipment and PC, (if applicable).		

### 3.31 MINIMUM SPECIFICATIONS – REPAIR SERVICES AND PARTS

Item Number	ALL GROUPS  Description	Compliance	Exception
	Provider Responsibilities		
1.1	The vendor shall pick-up at OFS vehicle maintenance		The second secon
	facility at the assigned maintenance shop location to		
	transport for repair at Vendor's facility. Same day pick-		
	up shall occur for requests made before 12:00 noon.		
	Delivery of a unit(s) back to the OFS facility shall be		
	made within 24 hours of completed repair, excluding		12 <del>-12</del>
	weekends and holidays.		
1.2	Vendor shall indicate in the invoice any warranty for		
	labor and/or parts supplied.		31. 9 111 1
1.3	Vendor shall, under normal circumstances, begin work on		
	unit(s) delivered to their repair facility within four (4)		
	hours.		1 12
1.4	Vendor shall maintain a minimum of 80% turnaround	And the second of the second o	1
	time within 24 hours and a 90% turnaround time within		
	48 hours for repairs.		
1.5	Vendor shall have personnel on duty to provide unit(s)	en e	
	repairs/service at the minimum of Monday through		
	Friday between the hours of 8:00 a.m. and 5:00 p.m.		
THE PARTY OF THE P	State your hours of operation:	Andreas Charles	in Park Baran Maria
1.6	Vendor shall fax an estimate of repair to the Director of		
	OFS, or his/her designee to obtain an authorizing work		
	order number prior to performing any repair.		
1.7	Replacement parts shall meet or exceed OEM quality and	sanata di selata di Salah	
	specifications. Use of non-OEM parts must be approved	in the section of the	
	by the Director of OFS or his/her designee.		
1.8	All invoices for repair/service/wreck repair shall indicate:		
	MSLP, discounted prices to the city of all parts, labor rate		
	charged, number of hours required performing the		
-	service/repair, City decal number of unit receiving		
	service/repair, and OFS work order number authorizing		

	service/repair, and OFS	work order number a	uthorizing	* *.	
FIRM NAME	3		SIGNATURE .		
		Page 27 of 32			

Compliance		Compliance	Exception
1.9 A copy of the service/repair invoice of OFS at assigned COA shop upon cor 2. Repair Parts  2.1 Vendor will provide replacement parexceed Original Equipment Manufact and specifications to the City as need of list price.  2.2 Vendor will provide list prices for the aftermarket products. The list prices electronic media (CD, DVD, or "thur access or printed media.  2.3 Vendor will deliver parts to the OFS facility at the assigned maintenance stocked in the vendor's inventory wire four (4) hours of request. Non-stock be delivered within four (4) hours of vendor's warehouse.  2.4 Vendor shall supply 90% of parts recently this equipment within 24 hours and be remaining 10% within 72 hours.  3.32 If you quote, please sign each "Bid Shor your bid may be deemed non-respondence of the bid sheets or your bid may page must be stamped "original" or compliance  3.33 Submit the original bid and requing Compliance  4. APPLICABLE DOCUMENTS, STAN  4.1 The following document (s), standard Georgia Occupational Safety and			
OFS at assigned COA shop upon cor  2. Repair Parts  2.1	hall be faved to the		
2.1 Vendor will provide replacement par exceed Original Equipment Manufac and specifications to the City as need of list price.  2.2 Vendor will provide list prices for the aftermarket products. The list prices electronic media (CD, DVD, or "thur access or printed media.  2.3 Vendor will deliver parts to the OFS facility at the assigned maintenance stocked in the vendor's inventory windour (4) hours of request. Non-stock be delivered within four (4) hours of vendor's warehouse.  2.4 Vendor shall supply 90% of parts reat this equipment within 24 hours and be remaining 10% within 72 hours.  3.32 If you quote, please sign each "Bid Shor your bid may be deemed non-responsach of the bid sheets or your bid may page must be stamped "original" or Compliance  3.33 Submit the original bid and requisional Compliance  4. APPLICABLE DOCUMENTS, STAN  4.1 The following document (s), standardial(s), goods or service(s) convicted with all Federal Occupational Safety and Georgia Occupational Safety and			
2.1 Vendor will provide replacement par exceed Original Equipment Manufac and specifications to the City as need of list price.  2.2 Vendor will provide list prices for the aftermarket products. The list prices electronic media (CD, DVD, or "thur access or printed media.  2.3 Vendor will deliver parts to the OFS facility at the assigned maintenance as stocked in the vendor's inventory with four (4) hours of request. Non-stock be delivered within four (4) hours of vendor's warehouse.  2.4 Vendor shall supply 90% of parts reathing equipment within 24 hours and be remaining 10% within 72 hours.  3.32 If you quote, please sign each "Bid Shor your bid may be deemed non-responsach of the bid sheets or your bid may page must be stamped "original" or Compliance  3.33 Submit the original bid and requing Compliance  4. APPLICABLE DOCUMENTS, STAN  4.1 The following document (s), standard Material(s), goods or service(s) or with all Federal Occupational Safe Georgia Occupational Safety and	apication of the work:		
exceed Original Equipment Manuface and specifications to the City as need of list price.  2.2 Vendor will provide list prices for the aftermarket products. The list prices electronic media (CD, DVD, or "thur access or printed media.  2.3 Vendor will deliver parts to the OFS facility at the assigned maintenance stocked in the vendor's inventory wire four (4) hours of request. Non-stock be delivered within four (4) hours of vendor's warehouse.  2.4 Vendor shall supply 90% of parts receptive equipment within 24 hours and be remaining 10% within 72 hours.  3.32 If you quote, please sign each "Bid Shor your bid may be deemed non-response each of the bid sheets or your bid may page must be stamped "original" or Compliance  3.33 Submit the original bid and requisional Submit the original document (s), standard Material(s), goods or service(s) or with all Federal Occupational Safety and Georgia Occupational Safety and	ts which meet or		<u> </u>
and specifications to the City as need of list price.  2.2 Vendor will provide list prices for the aftermarket products. The list prices electronic media (CD, DVD, or "thur access or printed media.  2.3 Vendor will deliver parts to the OFS facility at the assigned maintenance stocked in the vendor's inventory windour (4) hours of request. Non-stock be delivered within four (4) hours of vendor's warehouse.  2.4 Vendor shall supply 90% of parts recently this equipment within 24 hours and be remaining 10% within 72 hours.  3.32 If you quote, please sign each "Bid Shor your bid may be deemed non-response each of the bid sheets or your bid may page must be stamped "original" or Compliance  3.33 Submit the original bid and requing Compliance  4. APPLICABLE DOCUMENTS, STAN  4.1 The following document (s), standard Material(s), goods or service(s) or with all Federal Occupational Safety and Georgia Occupational Safety and		nordalismo nerije i okazī epilasita.	49.48
of list price.  2.2 Vendor will provide list prices for the aftermarket products. The list prices electronic media (CD, DVD, or "thur access or printed media.  2.3 Vendor will deliver parts to the OFS facility at the assigned maintenance stocked in the vendor's inventory windour (4) hours of request. Non-stock be delivered within four (4) hours of vendor's warehouse.  2.4 Vendor shall supply 90% of parts recently this equipment within 24 hours and be remaining 10% within 72 hours.  3.32 If you quote, please sign each "Bid Shor your bid may be deemed non-response each of the bid sheets or your bid may page must be stamped "original" or Compliance  3.33 Submit the original bid and requing Compliance  4. APPLICABLE DOCUMENTS, STAN  4.1 The following document (s), standard Material(s), goods or service(s) or with all Federal Occupational Safety and Georgia Occupational Safety and		HER ER DIG BRIG BED BY	
2.2 Vendor will provide list prices for the aftermarket products. The list prices electronic media (CD, DVD, or "thur access or printed media.  2.3 Vendor will deliver parts to the OFS facility at the assigned maintenance stocked in the vendor's inventory windour (4) hours of request. Non-stock be delivered within four (4) hours of vendor's warehouse.  2.4 Vendor shall supply 90% of parts required this equipment within 24 hours and be remaining 10% within 72 hours.  3.32 If you quote, please sign each "Bid Shor your bid may be deemed non-response each of the bid sheets or your bid may page must be stamped "original" or Compliance  3.33 Submit the original bid and required Compliance  4. APPLICABLE DOCUMENTS, STAN  4.1 The following document (s), standard life federal Occupational Safety and Georgia Occupational Safety and			
aftermarket products. The list prices electronic media (CD, DVD, or "thur access or printed media.  2.3 Vendor will deliver parts to the OFS facility at the assigned maintenance stocked in the vendor's inventory wi four (4) hours of request. Non-stock be delivered within four (4) hours of vendor's warehouse.  2.4 Vendor shall supply 90% of parts recthis equipment within 24 hours and be remaining 10% within 72 hours.  3.32 If you quote, please sign each "Bid Shor your bid may be deemed non-responsach of the bid sheets or your bid may page must be stamped "original" or compliance  3.33 Submit the original bid and requing Compliance  4. APPLICABLE DOCUMENTS, STAN  4.1 The following document (s), standard Material(s), goods or service(s) or with all Federal Occupational Safety and Georgia Occupational Safety and	eir OEM and		
electronic media (CD, DVD, or "thur access or printed media.  2.3 Vendor will deliver parts to the OFS facility at the assigned maintenance stocked in the vendor's inventory wi four (4) hours of request. Non-stock be delivered within four (4) hours of vendor's warehouse.  2.4 Vendor shall supply 90% of parts recthis equipment within 24 hours and be remaining 10% within 72 hours.  3.32 If you quote, please sign each "Bid Shor your bid may be deemed non-responsach of the bid sheets or your bid may page must be stamped "original" or Compliance  3.33 Submit the original bid and requing Compliance  4. APPLICABLE DOCUMENTS, STAN  4.1 The following document (s), standard Material(s), goods or service(s) or with all Federal Occupational Safety and Georgia Occupational Safety and		in 7 i V	
2.3 Vendor will deliver parts to the OFS facility at the assigned maintenance stocked in the vendor's inventory wi four (4) hours of request. Non-stock be delivered within four (4) hours of vendor's warehouse.  2.4 Vendor shall supply 90% of parts recthis equipment within 24 hours and be remaining 10% within 72 hours.  3.32 If you quote, please sign each "Bid Shor your bid may be deemed non-response and of the bid sheets or your bid may page must be stamped "original" or Compliance  3.33 Submit the original bid and requing Compliance  4. APPLICABLE DOCUMENTS, STAN  4.1 The following document (s), standard Material(s), goods or service(s) convitable processing the compliance of the processing standard safe of the part of the part of the processing standard safe of the part of			
2.3 Vendor will deliver parts to the OFS facility at the assigned maintenance stocked in the vendor's inventory wi four (4) hours of request. Non-stock be delivered within four (4) hours of vendor's warehouse.  2.4 Vendor shall supply 90% of parts recthis equipment within 24 hours and fremaining 10% within 72 hours.  3.32 If you quote, please sign each "Bid Shor your bid may be deemed non-responsach of the bid sheets or your bid may page must be stamped "original" or  Compliance  3.33 Submit the original bid and requing Compliance  4. APPLICABLE DOCUMENTS, STAN  4.1 The following document (s), standard Material(s), goods or service(s) convicts with all Federal Occupational Safety and	· · · · · · · · · · · · · · · · · · ·		
facility at the assigned maintenance stocked in the vendor's inventory wi four (4) hours of request. Non-stock be delivered within four (4) hours of vendor's warehouse.  2.4 Vendor shall supply 90% of parts recthis equipment within 24 hours and be remaining 10% within 72 hours.  3.32 If you quote, please sign each "Bid Shor your bid may be deemed non-responsach of the bid sheets or your bid may page must be stamped "original" or Compliance  3.33 Submit the original bid and requing Compliance  4. APPLICABLE DOCUMENTS, STAN  4.1 The following document (s), standard Material(s), goods or service(s) convicted with all Federal Occupational Safety and	vehicle maintenance		
stocked in the vendor's inventory wi four (4) hours of request. Non-stock be delivered within four (4) hours of vendor's warehouse.  2.4 Vendor shall supply 90% of parts receithis equipment within 24 hours and is remaining 10% within 72 hours.  3.32 If you quote, please sign each "Bid Shor your bid may be deemed non-response each of the bid sheets or your bid may page must be stamped "original" or Compliance  3.33 Submit the original bid and requing Compliance  4. APPLICABLE DOCUMENTS, STAN  4.1 The following document (s), standard Material(s), goods or service(s) converted with all Federal Occupational Safety and			
four (4) hours of request. Non-stock be delivered within four (4) hours of vendor's warehouse.  2.4 Vendor shall supply 90% of parts recthis equipment within 24 hours and be remaining 10% within 72 hours.  3.32 If you quote, please sign each "Bid Shor your bid may be deemed non-responsach of the bid sheets or your bid may page must be stamped "original" or Compliance  3.33 Submit the original bid and requing Compliance  4. APPLICABLE DOCUMENTS, STAN  4.1 The following document (s), standard Material(s), goods or service(s) converted with all Federal Occupational Safety and			
be delivered within four (4) hours of vendor's warehouse.  2.4 Vendor shall supply 90% of parts recthis equipment within 24 hours and be remaining 10% within 72 hours.  3.32 If you quote, please sign each "Bid Shor your bid may be deemed non-responsach of the bid sheets or your bid may page must be stamped "original" or Compliance  3.33 Submit the original bid and requing Compliance  4. APPLICABLE DOCUMENTS, STAN  4.1 The following document (s), standard Material(s), goods or service(s) converted with all Federal Occupational Safety and Georgia Occupational Safety and		Additional evidence in w	
vendor's warehouse.  Vendor shall supply 90% of parts receive this equipment within 24 hours and be remaining 10% within 72 hours.  3.32 If you quote, please sign each "Bid Shor your bid may be deemed non-responsach of the bid sheets or your bid may page must be stamped "original" or  Compliance  3.33 Submit the original bid and requing Compliance  4. APPLICABLE DOCUMENTS, STAN  4.1 The following document (s), standard Material(s), goods or service(s) or with all Federal Occupational Safety and Georgia Occupational Safety and		Japa Ásak Rulásos – Rus	
this equipment within 24 hours and I remaining 10% within 72 hours.  3.32 If you quote, please sign each "Bid SI or your bid may be deemed non-responsach of the bid sheets or your bid may page must be stamped "original" or  Compliance  3.33 Submit the original bid and requing Compliance  4. APPLICABLE DOCUMENTS, STAN  4.1 The following document (s), standard Material(s), goods or service(s) convitable properties of the pro		in the state of th	
this equipment within 24 hours and I remaining 10% within 72 hours.  3.32 If you quote, please sign each "Bid SI or your bid may be deemed non-responsach of the bid sheets or your bid may page must be stamped "original" or  Compliance  3.33 Submit the original bid and requing Compliance  4. APPLICABLE DOCUMENTS, STAN  4.1 The following document (s), standard Material(s), goods or service(s) convitable properties of the pro	uired to maintain	·	
3.32 If you quote, please sign each "Bid Shor your bid may be deemed non-response each of the bid sheets or your bid may page must be stamped "original" or Compliance  3.33 Submit the original bid and requing Compliance  4. APPLICABLE DOCUMENTS, STAN  4.1 The following document (s), standard Material(s), goods or service(s) convitable with all Federal Occupational Safety and		and the second of the second	
3.32 If you quote, please sign each "Bid Shor your bid may be deemed non-response each of the bid sheets or your bid may page must be stamped "original" or  Compliance  3.33 Submit the original bid and requing Compliance  4. APPLICABLE DOCUMENTS, STAN  4.1 The following document (s), standard Material(s), goods or service(s) convitable with all Federal Occupational Safety and	en e	and the second s	
3.33 Submit the <b>original</b> bid and required Compliance  4. <b>APPLICABLE DOCUMENTS, STAN</b> 4.1 The following document (s), standard Material(s), goods or service(s) convitable with all Federal Occupational Saf Georgia Occupational Safety and	~	•	-
3.33 Submit the <b>original</b> bid and required Compliance  4. <b>APPLICABLE DOCUMENTS, STAN</b> 4.1 The following document (s), standard Material(s), goods or service(s) convitable with all Federal Occupational Saf Georgia Occupational Safety and			
Compliance  4. APPLICABLE DOCUMENTS, STAN  4.1 The following document (s), stand  Material(s), goods or service(s) consists with all Federal Occupational Saffety and	Exception	. 31	\$0.000 miles
Compliance  4. APPLICABLE DOCUMENTS, STAN  4.1 The following document (s), stand  Material(s), goods or service(s) consists with all Federal Occupational Saffety and			: •
4. APPLICABLE DOCUMENTS, STAN  4.1 The following document (s), stand  Material(s), goods or service(s) consists with all Federal Occupational Safety and	red attachments.	vi deve e il artiri:	
4. APPLICABLE DOCUMENTS, STAN  4.1 The following document (s), stand  Material(s), goods or service(s) consists with all Federal Occupational Safety and	10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Man Dayse et j	- Company
<ul> <li>4. APPLICABLE DOCUMENTS, STAN</li> <li>4.1 The following document (s), standard Material(s), goods or service(s) convitable with all Federal Occupational Saffery and</li> </ul>	paper (spin) – <u>politický spi</u>		
<ul> <li>4. APPLICABLE DOCUMENTS, STAN</li> <li>4.1 The following document (s), standard Material(s), goods or service(s) converts with all Federal Occupational Safety and</li> </ul>	Exception		
<ul> <li>4. APPLICABLE DOCUMENTS, STAN</li> <li>4.1 The following document (s), stand</li> <li>Material(s), goods or service(s) or with all Federal Occupational Saf Georgia Occupational Safety and</li> </ul>	S 12 - 12 - 12 - 12 - 12 - 12 - 12 - 12		
Material(s), goods or service(s) co with all Federal Occupational Saf Georgia Occupational Safety and	DARDS AND SPECI	FICATIONS	
with all Federal Occupational Saf Georgia Occupational Safety and	lard (s) or specificatio	ns shall apply:	
	ety and Health Acts, F	AA Standards ants, where appli	nd
en e		in the second of the second	· ·
	and the second s	e e	

#### 5. QUALITY ASSURANCE PROVISIONS

Tests and Inspection -It shall be the vendor's responsibility to perform all tests and inspections required by this specification unless otherwise stated in the purchase order, data sheet, and/or contract. The vendor may use in the process his own facility or any recognized independent laboratory acceptable to the City of Atlanta. The City of Atlanta reserves the right to perform any of the test and inspection requirements where such tests and inspections are needed to further determine vendor compliance with this specification.

#### 5.2 Certification

Material covered by this specification shall comply with all Federal Occupational Safety and Health Acts and Georgia Occupational Safety and Health Acts Requirement where applicable and in effect at time of shipment.

- 5.3 <u>Sampling</u> Sample, visual test and inspection may be required. This shall be performed and witnessed in the presence of City Officials at no extra cost. Failure to comply with this provision may cause rejection of the items supplied and cancellation of the contract.
- 5.4 Quality and Quantity Control A system of test and inspection shall be used to insure receipt of the quality and quantity of items supplied. Goods will be promptly unpacked and inspected; any discrepancies from purchase order or supplier invoice will be reported immediately to the Chief Procurement Officer of the Department of Procurement.
- Plant and Facility Inspection The Department of Procurement may require the vendor to make their plant and facilities available for inspection, or may require additional information concerning the vendor's ability to comply with the requirements of this specification, or its ability to perform in accordance with delivery requirements within budget. In addition to the above, vendor may be required to produce shop orders and backlog orders documentation. Failure to comply with this requirement may cause rejection of the bid package.
- 5.6 Protection The vendor shall assume all costs arising from the use of patented materials, devices, or processes incorporated in the materials furnished. The vendor further agrees to indemnify and hold harmless the City of Atlanta and its duly authorized agents from suits of law or actions of any nature for or on account of the use of any patented materials, equipment devices or processes.
- 5.7 <u>Travel Expense</u> The City of Atlanta may require one or more visits to the vendor's plant to assure compliance with City requirements. The cost of such visits shall be absorbed by the supplier after the purchase order has been assigned.

FIRM NAME	SIGNATURE
LIMIN MAINE	SIGNATURE

#### 6. PREPARATION FOR DELIVERY

- 6.1 Packing Packing shall be accomplished in accordance with acceptable commercial particles for domestic shipments, unless otherwise stated in the contract or purchase order. The vendor shall make shipments using the minimum number of containers consistent with the requirements of safe transit available mode of transportation and routing. It shall be the vendor's responsibility to determine that the packing done is adequate to assure that all materials shall arrive at destination in an undamaged condition ready for intended use.
- 6.2 Marking All packages shall be identified with the City of Atlanta purchase order number and the using Bureau. Sealed packing lists and proper label must be affixed to all cartons indicating contents.
- 6.3 <u>Shipping</u> The vendor shall follow shipping instructions as stated on the purchase order or contract.

e des deserto e ou so qui America qui la refigir de Andrea de como caraca.

To expense of the experience of the experience of the first of the experience of the

Color and contains the Color of 
The selection between expression decreases and health broken the first fill and

6.4 <u>Deliver Schedule and Liability</u> - It shall be the vendor's responsibility to maintain delivery schedule as stated on bid. The City must be notified on any change at least ten (10) days prior to original delivery date. Notification of slippage, however, shall not the relieve vendor from late delivery penalties as outlined below. The vendor is urged to realistically and accurately state its proposed delivery for the items called for in the Invitation for Bid Pricing Sheet.

Split delivery may be accepted, if it is found to be in the best interest of the City but shall not be made in quantities of less than fifty percent (50%) of the total purchase order or contract quantity.

The vendor shall not, for any reason, delay delivery of items necessary to the upkeep of the City. The City of Atlanta reserves the right to enforce a <u>Late</u> <u>Delivery Penalty</u> to a delinquent vendor. Late delivery penalties are in the amount of one percent (1%) for each day of delay to a maximum of five percent (5%) of the total purchase order or contract amount beginning after a ten (10) day grace period from the expired delivery date.

#### 7. WARRANTY

It shall be the bidder's responsibility to submit, at the time of shipment, original the self-line of the material(s) quoted.

#### 8. GUARANTEE

The material(s) shall be guaranteed to be free of defect of construction, conception and workmanship for a period of at least 12,000 miles, 12 months or 2000 hours from date of acceptance. Any parts or portion found not in accordance with this specification will be rejected and returned to vendor at vendor's expense for its immediate replacement.

FIRM NAME	SIGNATURE	

- 9. FACE SHEET AND ALL PAGES OF THIS SPECIFICATION, SIGNED BY AN AUTHORIZED REPRESENTATIVE, MUST BE RETURNED WITH YOUR BID; OTHERWISE BID MAYBE CONSIDERED INVALID.
- 10. IF YOU DO NOT QUOTE, PLEASE RETURN THE COVER SHEET WITH YOUR COMPANY NAME AND THE REASONS YOU ARE NOT QUOTING. OTHERWISE, AFTER THREE (3) NO RESPONSES YOUR COMPANY'S NAME MAY BE REMOVED FROM OUR VENDOR LIST.
- 11. A COMPLETE CONTRACT EMPLOYMENT REPORT OR CURRENT LETTER
  OF CERTIFICATION FROM THE CITY OF ATLANTA MUST ACCOMPANY
  EACH BID. FAILURE TO COMPLY WILL RENDER BID INVALID.

on the figure of the disentence which where the constitutions

A CONTRACTOR OF CONTRACTOR OF THE PROPERTY OF

- 12. IF YOU QUOTE, PLEASE SIGN EACH "BID SHEET" IN BLUE INK, DO NOT 'WHITE OUT' ENTRIES OR YOUR BID MAY BE DEEMED NON-RESPONSIVE. AND, PUT THE NAME OF YOUR COMPANY ON EACH OF THE BID SHEETS OR YOUR BID MAY BE DEEMED NON-RESPONSIVE. EACH PRICING SHEET PAGE MUST BE STAMPED "ORIGINAL" OR YOUR BID MAY BE DEEMED NON-RESPONSIVE.
- 13. SUBMIT THE ORIGINAL BID AND REQUIRED ATTACHMENTS.

FIRM NAME

The minimal form the colorest of the state of the constitution of the colorest expectation of the colorest of
<ul> <li>[4] Self-Georgia Springers and contribiting at material parameters of structures of structures of a particles.</li> </ul>
e en elemente e la recata del prescrierente for de la recipió distribuiro la calendaria de la calendaria.

and the term is the testion of the control of the c

SIGNATURE

Page 31 of 32

(1) And Annual Company of the control of the con

ander general film til en i Atalia konstruer var ett av transpressen samtare sklad og er en samskal ett <u>ett</u> Til 140 og til sklad film i sklad sklad sklad med sklad ett formaller framsjoren sklad ett sklad ett sklad ett

and the control of the first that the second of the first terms of the second of the s

### **VENDOR REFERENCES**

PROJECT TYPE: Mowers ITB/FC NO.: 8128-AP BUYER/CO: Annette Pellum

PROJECT NAME: VARIOUS LANDSCAPES MOWERS

Company Name	Contact Person
Address	City/State/Zip
Phone Number	County
COMMENTS:	
Company Name	Contact Persor
ompany Name	Contact Person
ldress	City/State/Zip
one Number	County
COMMENTS:	
ompany Name	Contact Persor
ldress	City/State/Zip
none Number .	County
COMMENTS:	
NAME	SIGNATURE _



### PRICING SHEET BID NUMBER 8128-AP Page 1 of 15

	QUAN.	UNIT	TO	TAL
NOTE TO ALL BIDDERS  IN COMPLIANCE WITH THE REQUIREMENTS OF THE SPECIFICATIONS (IF APPLICABLE), VENDOR MUST SUBMIT WITH BID TWO (2) SETS OF DESCRIPTIVE LITERATURE OR YOUR BID MAY NOT BE CONSIDER				
Bids shall be held firm 120 days after bid opening date and time.	:			
Further, prices shall be held fixed for one (1) year from date of award.				
Quantities listed are estimates, actual orders may vary more or less than indicated.				
GROUP I – HEAVY DUTY TRACTOR SLOPE MOWER	2	\$	\$	
State Make and Model Offered				
State Delivery Time/Days				<del></del>
OPTIONAL EQUIPMENT				
<ol> <li>Wip-o-matic automatic self-leveling operators seat.</li> <li>Heavy duty 74" front mount flail mower 930lbs.</li> </ol>	2 2	\$ \$	\$\$ \$	
3. Extra Hydraulics	2	\$	\$\$	
4. 36 pairs of (4) four ounce knives	2	\$	\$\$	
5. Rotating Beacon Light	2	\$	\$	
6. Quick fit adjustable trailer hitch on rear with quick coupling brackets – torque weight 882lbs. Maximum trailer tow weight 7,716lbs	2	\$	\$\$	
FIRM NAI	<b>МЕ</b>	-		
SIGNATU				//



### PRICING SHEET BID NUMBER 8128-AP Page 2 of 15

	QUAN.	UNIT	TOTAL	
7. True rear wheel steering and/or front wheel Steering, including "crab-mode" steering	2	\$	_\$	_
TOTAL FOR GROUP I		\$		<del></del>
REPAIR SERVICES AND PARTS FOR GROUP I				
1. In shop service rate (Monday-Friday 7:00 a.m5:00 p.m.)	200hrs.	\$/hr	\$	_
2. Service call rate (City of Atlanta, Monday-Friday 7:00 a.m5:00p p.m.). Enter the hourly rate as the unit price.	100hrs.	\$/hr	\$	_
<ol> <li>Service call rate (City of Atlanta, Nights, Holidays, &amp; Weekends)</li> </ol>	50hrs.	\$/hr	\$	_
4. Parts: State % Discount off of list price	\$5000.00 total list	\$/hr	\$	<del>-</del> ·
GROUP II – 48 INCH REMOTE CONTROL SLOPE MOWER	2	\$	_\$	
State Make and Model Offered				
State Delivery Time/Days		· .		
OPTIONAL EQUIPMENT				
TW1500, CuttingChain-Chopper Mower     Head with hoses and fitting	2	\$	\$	<del></del>
2. High/Deep shovel with three (3)-teeth and mounting equipment.	2	\$	_\$	_
3. Hydraulic Humus shovel with mounting equipment.	2	\$	\$	_
FIRM N	AME			
SIGNAT	URE	Constitution of the consti		// DATE
т	ITLE			<i>-</i>



### PRICING SHEET BID NUMBER 8128-AP Page 3 of 15

	QUAN.	UNIT	TOTAL
TOTAL FOR GROUP II		\$	
REPAIR SERVICES AND PARTS FOR GROUP II			
<ol> <li>In shop service rate (Monday-Friday 7:00 a.m 5:00 p.m.)</li> </ol>	200hrs.	\$/hr	\$
2. Service call rate (City of Atlanta, Monday-Friday 7:00 a.m5:00p p.m.). Enter the hourly rate as the unit price.	100hrs.	\$/hr	\$
<ol> <li>Service call rate (City of Atlanta, Nights, Holidays, &amp; Weekends)</li> </ol>	50hrs.	\$/hr	\$
4. Parts: State % Discount off of list price	\$5000.00 total list	\$/hr	\$
GROUP III -21 INCH COMMERCIAL ROTARY MOWER	2	\$\$_	
OPTIONAL EQUIPMENT		,	
1. 36" Cutting Deck Mower.	2	\$\$_	
TOTAL FOR GROUP III		\$	
REPAIR SERVICES AND PARTS GOR GROUP II	$\overline{\mathbf{u}}$		
1. In shop service rate (Monday-Friday 7:00 a.m5:00 p.m.)	200hrs.	\$/hr	\$
2. Service call rate (City of Atlanta, Monday-Friday 7:00 a.m5:00p p.m.). Enter the hourly rate as the unit price.	100hrs.	\$/hr	\$
3. Service call rate (City of Atlanta, Nights, Holidays, & Weekends)	50hrs.	\$/hr	\$
FIRM N	AME		
SIGNAT	URE	Mark Trans	
T			DATE



### PRICING SHEET BID NUMBER 8128-AP Page 4 of 15

	QUAN.	UN	IT	TOTAL	
4. Parts: State % Discount off of list price	\$5000.00 total list	\$	/hr	\$	-
GROUP IV - 22 INCH COMMERCIAL ROTARY MOWER	2	\$	\$		
State Make and Model Offered					-
State Delivery Time/Days					
OPTIONS:					
1. Grass catcher	2	\$			
2. Mulcher	2	\$		<del></del>	
TOTAL FOR GROUP IV		\$			*
REPAIR SERVICES AND PARTS FOR GROUP I	<u><b>Y</b></u>				
1. In shop service rate (Monday-Friday 7:00 a.m5:00 p.m.)	200hrs.	\$	/hr	\$	
2. Service call rate (City of Atlanta, Monday-Friday 7:00 a.m5:00p p.m.). Enter the hourly rate as the unit price.	100hrs.	\$	/hr	\$	
<ol> <li>Service call rate (City of Atlanta, Nights, Holidays, &amp; Weekends)</li> </ol>	50hrs.	\$	/hr	\$	
4. Parts: State % Discount off of list price	\$5000.00 total list	\$	/hr	\$	
GROUP V - 24 INCH COMMERCIAL ROTARY MOWER	2	\$	\$		
FIRM N	AMF				
SIGNAT		• • • • • • • • • • • • • • • • • • • •		1	
	ITLE				DATE



#### PRICING SHEET BID NUMBER 8128-AP Page 5 of 15

	QUAN.	UNIT	TOTAL	
State Make and Model Offered State Delivery Time/Days				
State Derivery Time/Days				
OPTIONS:				
1. Grass Catcher	2	\$\$		
2. Four (4) Horsepower, Two (2) cycle single cylinder	2	\$\$	-	
3. Delete self-propelled feature	2	\$\$		
TOTAL FOR GROUP V		\$		
REPAIR SERVICES AND PARTS FOR GROUP V				
1. In shop service rate (Monday-Friday 7:00 a.m5:00 p.m.)	200hrs.	\$/hr	\$	*
2. Service call rate (City of Atlanta, Monday-Friday 7:00 a.m5:00p p.m.). Enter the hourly rate as the unit price.	100hrs.	\$/hr	\$	
<ol> <li>Service call rate (City of Atlanta, Nights, Holidays, &amp; Weekends)</li> </ol>	50hrs.	\$/hr	\$	
4. Parts: State % Discount off of list price	\$5000.00 total list	\$/hr	\$	
GROUP VI - 30 INCH COMMERICAL ROTARY MOWER	2	\$\$		
State Make and Model Offered				
State Delivery Time/Days				
OPTIONS:				
FIRM N	AME			
SIGNAT	URE			_/



#### PRICING SHEET BID NUMBER 8128-AP Page 6 of 15

		QUAN.	UNIT	TOTAL
		ı		
1.	Grass Catcher	2	\$9	<u> </u>
2.	Mulcher Kit	2	\$\$	8
3.	Delete self-propelled feature	2	\$	8
4.	Horse power 8.5	2	\$\$	<u> </u>
5.	Horse power 9.0	2	\$\$	
6.	3-wheel drive	2	\$\$	<u> </u>
7.	26 inch cut	2	\$\$	<u> </u>
8.	Semi-pneumatic tires	2	\$	S
9.	Kawasaki engine	2	\$\$	S
TOTA	AL FOR GROUP VI		\$	
REPA	AIR SERVICES AND PARTS FOR			
	hop service rate (Monday-Friday 7:00 a.m 0 p.m.)	200hrs.	\$/hr	\$
7:0	vice call rate (City of Atlanta, Monday-Friday 0 a.m5:00p p.m.). Enter the hourly rate as the t price.	100hrs.	\$/hr	\$
	vice call rate (City of Atlanta, Nights, Holidays, Weekends)	50hrs.	\$/hr	\$
4. Par	ts: State % Discount off of list price	\$5000.00 total list	\$/hr	\$
GRO	UP VII - 32 INCH RIDING MOWER			
(After	deducting federal excise tax)	2	\$\$_	
	FIRM N	AME		
	SIGNAT	URE		
	T	TLE		DATE



### PRICING SHEET BID NUMBER 8128-AP Page 7 of 15

	QUAN.	UNIT	TOTAL	
State Make and Model Offered				
State Delivery Time/Days				
OPTIONS:				
1. Grass Catcher	2	\$		
2. Mulcher	2	\$		
3. Delete self-propelled feature	2	\$		
TOTAL FOR GROUP VII		\$		_
REPAIR SERVICES AND PARTS FOR GROUP V	<u>/II</u>			
1. In shop service rate (Monday-Friday 7:00 a.m5:00 p.m.)	200hrs.	\$/hr	\$	
2. Service call rate (City of Atlanta, Monday-Friday 7:00 a.m5:00p p.m.). Enter the hourly rate as the unit price.	100hrs.	\$ /hr	\$	
•		Ψ <u></u> /111	Ψ	<del></del>
<ol> <li>Service call rate (City of Atlanta, Nights, Holidays, &amp; Weekends)</li> </ol>	50hrs.	\$/hr	\$	
4. Parts: State % Discount off of list price	\$5000.00 total list	\$/hr	\$	
GROUP VIII - 36 INCH HYDRO WALK BEHIND MOWER	2	\$\$	S	
			·	
State Make and Model Offered				
FIRM N	IAME			***************************************
SIGNAT	TURE			_//
Т	ITLE			DATE



#### PRICING SHEET BID NUMBER 8128-AP Page 8 of 15

	QUAN.	UNIT	TOTAL
State Delivery Time/Days			
State Delivery Time/Days			
OPTIONS:		•	
1. 36 inch cutting deck	2	\$	
2. 48 inch cutting deck	2	\$	
3. Mulching Kit	2	\$	
4. Sulkey	2	\$	
TOTAL FOR GROUP VIII		\$	
REPAIR SERVICES AND PARTS FOR GROUP	<u>VIII</u>		
1. In shop service rate (Monday-Friday 7:00 a.m5:00 p.m.)	200hrs.	\$/hr	\$
2. Service call rate (City of Atlanta, Monday-Friday 7:00 a.m5:00p p.m.). Enter the hourly rate as the unit price.	100hrs.	\$/hr	\$
<ol> <li>Service call rate (City of Atlanta, Nights, Holidays &amp; Weekends)</li> </ol>	50hr	\$/hr	\$
4. Parts: State % Discount off of list price	\$5000.00 total list	\$/hr	\$
GROUP IX - 52 INCH RIDING ROTARY MOWE	ER .		
STATE CONTRACT	2	\$\$_	
State Make and Model Offered			
FIRM	NAME		
SIGNA			/ /
	TITLE		DATE



### PRICING SHEET BID NUMBER 8128-AP Page 9 of 15

	QUAN.	UNIT	TOTAL	
State delivery Time/Days	***************************************			
OPTIONS:				
1. Hand steering brakes	2	\$		
2. Electric Starter	2	\$		
3. 48inch mowing deck	2	\$		
4. 52 inch mowing deck	2	\$		
5. Dual drive	2	\$		
6. Sulkey jackknife proof	2	\$		
TOTAL FOR GROUP IX		\$		
REPAIR SERVICES AND PARTS FOR GROUP	<u>PIX</u>			
1. In shop service rate (Monday-Friday 7:00 a.m5:00 p.m.)	200hrs.	\$/hr	\$	
<ol> <li>Service call rate (City of Atlanta, Monday-Friday 7:00 a.m5:00p p.m.). Enter the hourly rate as the unit price.</li> </ol>	100hrs.	\$/hr	\$	
<ol> <li>Service call rate (City of Atlanta, Nights, Holida: &amp; Weekends)</li> </ol>	ys, 50hrs.	\$/hr	\$	
4. Parts: State % Discount off of list price	\$5000.00 total list	\$/hr	\$	
GROUP X – 16 FEET TRACTOR MOWER WI' PACKAGE KIT, ROLL BAR, AND	· · · · · · · · · · · · · · · · · · ·	\$	\$	
FIRM	NAME			
	ATURE			
	TITLE		Di	ATE



### PRICING SHEET BID NUMBER 8128-AP Page 10 of 15

		QUAN.	UNIT	TOTAL	
Q ~	41 116 11000 1				
State N	Make and Model Offered				
State d	lelivery Time/Days		·		
<u>OPTI</u>	ONS:				
1.	Turf tread tires in lieu of tractor tread tires		\$		
2.	Medium suction blades in lieu of flat blades	2	\$		
3.	38 horsepower diesel engine water cooled	2	\$		
4.	Roll bar light kit	2	\$		
5.	44 inch cutting deck	2	\$		
6.	48 inch cutting deck	2	\$	·	
7.	Mulching kit	2	\$		
TOTA	L FOR GROUP X		\$		
REPA	IR SERVICES AND PARTS FOR GROUP X				•
	hop service rate (Monday-Friday 7:00 a.m 0 p.m.)	200hrs	\$/hr	\$	
7:00	vice call rate (City of Atlanta, Monday-Friday a.m5:00p p.m.). Enter the hourly rate as the price.	100hrs.	\$/hr	\$	
	vice call rate (City of Atlanta, Nights, Holidays, Weekends)	50hrs.	\$/hr	\$	
4. Par	ts: State % Discount off of list price	\$5000.00 total list	\$/hr	\$	
		total fist			
	FIRM N	AME			
	SIGNAT			/	
	т	ITLE		DA	TE



### PRICING SHEET BID NUMBER 8128-AP Page 11 of 15

	QUAN.	<u>U</u>	INIT	TOTAL	d
GROUP XI – 11 FEET TRACTOR MOWER WITH ROAD PACKAGE KIT, ROLL BAR AND CANOPY	2	\$	\$		
State Make and Model Offered					
State Delivery Time/Days					<del></del>
OPTIONS:					
1. Road package kit	2	\$			
2. Mulcher kit	2	\$			
3. Air-conditioner	2	\$			
4. Complete parts manuals	2	\$			
5. Complete service manuals including engine	2	\$			
TOTAL FOR GROUP XI		\$			
REPAIR SERVICES AND PARTS FOR GROUP	<u>XI</u>				
1. In shop service rate (Monday-Friday 7:00 a.m5:00 p.m.)	200hrs.	\$	/hr	\$	······
2. Service call rate (City of Atlanta, Monday-Friday 7:00 a.m5:00p p.m.). Enter the hourly rate as the unit price.	100hrs.	\$	/hr	\$	
<ol> <li>Service call rate (City of Atlanta, Nights, Holidays, &amp; Weekends)</li> </ol>	50hrs.	\$	/hr	\$	<del></del>
4. Parts: State % Discount off of list price	\$5000.00	\$	/hr	\$	total list
	·				
FIRM N	AME	**			
SIGNAT	URE		Park Landson Address		///
T	ITLE				DATE



### PRICING SHEET BID NUMBER 8128-AP Page 12 of 15

	QUAN,	U	INIT	TOTAL	
GROUP XII – TOWED FLEX-WING ROTARY MO	OWER 2	\$	\$	<u> </u>	<del></del>
OPTIONS:					
1. Road package kit	2	\$			_
2. Mulcher Kit	2	\$			
3. Air Conditioner	. 2	\$			
4. Complete parts manuals	2	\$			<del></del>
5. Complete service manuals including engine	2	\$			
REPAIR SERVICES AND PARTS					
1. In shop service rate (Monday-Friday 7:00 a.m5:00 p.m.)	200hrs.	\$	/hr	\$	
2. Service call rate (City of Atlanta, Monday-Friday 7:00 a.m5:00p p.m.). Enter the hourly rate as the unit price.	100hrs.	\$	/hr	\$	<u> </u>
<ol> <li>Service call rate (City of Atlanta, Nights, Holidays, &amp; Weekends)</li> </ol>	50hrs.	\$	/hr	\$	_
4. Parts: State % Discount off of list price	\$5000.00 total list	\$	/hr	\$	-
GROUP XIII – 60" HEAVY DUTY RIDING MID-MOUNT MOWERS OPTIONS:	2	\$	\$		_
1. Grass/crop row baffles	2	\$			
FIRM NA	ME				
SIGNATU	JRE				_// /



### PRICING SHEET BID NUMBER 8128-AP Page 13 of 15

	QUAN.	UNIT	TOTAL	
2 On an analogad content those (2) we have	2	ф		
2. Open or closed center three (3) valve	2			
3. Valve mounting kit	2	\$		
4. Winch and stand	2	\$		
5. Auxiliary wheel spindle kit	2	\$		
TOTAL FOR GROUP XIII		\$		
REPAIR SERVICES AND PARTS FOR GROUP	XIII			
1. In shop service rate (Monday-Friday 7:00 a.m5:00 p.m.)	200hrs.	\$/hr	\$	
2. Service call rate (City of Atlanta, Monday-Friday 7:00 a.m5:00p p.m.). Enter the hourly rate as the unit price.	100hrs.	\$/hr	\$	
<ol> <li>Service call rate (City of Atlanta, Nights, Holidays, &amp; Weekends)</li> </ol>	50hrs.	\$/hr	\$	a g
4. Parts: State % Discount off of list price	\$5000.00 total list	\$/hr	\$	
P XIV – 72 INCH RIDING SLOPE ROTARY MOV <u>OPTIONS:</u>	WER 2	\$\$		
1. Grass/crop row baffles	2	\$		
2. Open or closed center three (3) valve	2	\$		
3. Valve mounting kit	2	\$		•
4. Winch and stand	2	\$		
FIRM N	IAME			
SIGNA	TURE			/



### PRICING SHEET BID NUMBER 8128-AP Page 14 of 15

	QUAN.	UNIT	TOTAL
5. Auxiliary wheel spindle kit	2	\$	
TOTAL FOR GROUP XIII		\$	
REPAIR SERVICES AND PARTS FOR GROUP X	<u>av</u>		
1. In shop service rate (Monday-Friday 7:00 a.m5:00 p.m.)	200hrs.	\$/hr	\$
2. Service call rate (City of Atlanta, Monday-Friday 7:00 a.m5:00p p.m.). Enter the hourly rate as the unit price.	100hrs.	\$/hr	\$
<ol> <li>Service call rate (City of Atlanta, Nights, Holidays, &amp; Weekends)</li> </ol>	50hrs.	\$/hr	\$
4. Parts: State % Discount off of list price	\$5000.00 total list	\$/hr	\$
,			
•			
		YOU MUST C	CHECK ONE
Prices will remain fixed for 12 months.		Compliance	Exception
FIRM N	AME		
SIGNAT	TURE		//



### PRICING SHEET BID NUMBER 8128-AP Page 15 of 15

**TOTAL** 

UNIT

FIRM NAME SIGNATURE TITLE	DATE
TERMS DELIVERY: Time Required for Delivery After Receipt Order	%30 Days Days
F FEDERAL EXCISE TAX APPLIES, SHOW AMOUNT OF SAME WHICH HAS ALREADY BEEN DEDUCTED IN DETERMINING YOUR NET PRICE. THE CITY IS ALSO EXEMPT FROM STATE AND LOCAL SALES TAX UNLESS THIS AMOUNT IS SHOWN, TAX EXEMPTION CERTIFICATE CANNOT BE ISSUED AND VENDOR WILL BE RESPONSIBLE FOR PAYMENT OF TAX ON NET PRICE QUOTED).	
COMPUTED FROM THE DATE OF ACCEPTANCE AT DESTINATION OR FROM DATE A CORRECT INVOICE IS RECEIVED IF THE LATTER DATE IS LATER THAN THE DATE OF ACCEPTANCE.  ***********************************	÷
PRICES. NET PRICES ARE LIST PRICES LESS TRADE OR OTHER DISCOUNTS OFFERED, EXCEPT CASH DISCOUNTS. IF A CASH DISCOUNT IS OFFERED, IT MUST BE CLEARLY SHOWN IN THE SPACE PROVIDED BELOW. IN ORDER FOR YOUR CASH DISCOUNT TO BE CONSIDERED IN THE BID EVALUATION PROCESS, THE DISCOUNT PERIOD SHALL BE A MINIMUM OF THIRTY DAYS. ANY DISCOUNT PERIOD OFFERED OF LESS THAN THIRTY DAYS WILL NOT BE CONSIDERED IN THE BID EVALUATION PROCESS. ALL DISCOUNTS OFFERED WILL BE TAKEN IF EARNED. TIME WILL BE	
EXTENSIONS, TOTALS AND GRAND TOTAL, IF APPLICABLE, SHALL BE ENTERED IN SPACES PROVIDED. FAILURE TO COMPLY MAY RENDER OUR BID INVALID. DELIVERY MAY BE A FACTOR IN AWARD. PLEASE STATE DELIVERY SCHEDULE IN SPACE PROVIDED BELOW. FAILURE TO COMPLY MAY RENDER YOUR BID INVALID. TERMS: BIDDERS ARE REQUESTED TO QUOTE NET	

QUAN.